



Green economy indicators in Poland 2020





Green economy indicators in Poland 2020

Statistics Poland Statistical Office in Białystok

Warszawa, Białystok 2020

Content related works

Statistical Office in Białystok

supervised by dr hab. Dorota Wyszkowska

Editorial team

dr hab. Dorota Wyszkowska – Deputy Director of Statistical Office in Białystok

Anna Godlewska, Renata Łapińska, Anna Rogalewska, Urszula Słucka, Agnieszka Anna Szklarzewska, Izabella Szpaczko – Podlaskie Centre for Regional Surveys

Translation

Kinga Justyna Karwowska

Typesetting and graphics

Justyna Anna Kiluk

Preface

We would like to present you with the fourth edition of the publication "Green economy indicators in Poland 2020". It is the second edition of this publication after the survey "Green economy in Poland" has been included in the Programme of Statistical Surveys of Public Statistics.

The publication incorporates recommendations of the Organisation for Economic Cooperation and Development (OECD) concerning green economy survey methodology. Green economy, viewed in the light of these guidelines, is understood by Polish public statistics as such that supports economic growth and development while maintaining access to natural capital and ecosystem services, which, in turn, affect human well-being. This economy is inextricably connected with the concept of sustainable development.

Information regarding green economy is presented in four thematic groups that are used in monitoring the state of economy, i.e. natural asset base, environmental and resource productivity of the economy, environmental quality of life as well as economic opportunities and policy responses. Moreover, context indicators constituting the background and the source of basic information on the socio-economic state of the country are included so as to give an additional dimension to the issues covered by the publication.

The suggested set of indicators to monitor the state of green economy includes, apart from public statistics information, extensive data from various national authorities and for comparison between European Union countries – from international organizations. To make this publication more comprehensive, for the first time a set of data in the form of an Excel file has been added as supplementary material.

Reliable, properly selected, and current data from the scope of green economy are an important element of introducing environment policy, implementing economic instruments or activities stimulating ecological innovations and investments in green technologies as well as monitoring the efficiency of these activities. It should be noted, however, that the set of indicators presented in this report will be assessed with new phenomena, instruments and changes in data availability.

Presenting "Green economy indicators in Poland 2020", we would like to sincerely thank all institutions for the data and suggestions which have enriched the contents of this publication. We do hope that information will be useful for those interested in the subject-matter of this work, will also support decision-making process and will make it possible to follow changes taking place in environment, economy, and society in the light of green economy.

Director Statistical Office in Białystok

Ewa Kamińska-Gawryluk

President Central Statistical Office

Dominik Rozkrut, Ph.D.

Contents

P	age
Preface	3
Symbols. Major abbreviations	7
Executive summary	. 8
Chapter 1. Socio-economic context	10
Chapter 2. Natural asset base	12
2.1. Biodiversity	12
2.2. Land use	14
2.3. Forest resources	16
2.4. Freshwater resources	17
2.5. Mineral resources	18
Chapter 3. Environmental and resource productivity of the economy	20
3.1. Water productivity	20
3.2. Domestic material consumption	21
3.3. Waste management	22
3.4. Nitrogen and phosphorus balances	25
3.5. Energy productivity	27
3.6. Renewable energy	28
3.7. Greenhouse gas emissions	30
Chapter 4. Environmental quality of life	33
4.1. Gaseous air pollutants	33
4.2. Particulate air pollutants	34
4.3. Noise	36
4.4. Access to drinking water	40
4.5. Municipal sewage treatment	41
4.6. Green areas	42
Chapter 5. Economic opportunities and policy responses	43
5.1. Organic farms	43
5.2. Outlays on environmental protection	44
5.3. Environmental taxes	45
5.4. Research and development (R&D) activity	46
5.5. Inventions and patents	47

		Pa	ige
	5.6. Ed	co-innovation	49
	5.7. G	reen technology	51
	5.8. Ed	co-Management and Audit Scheme (EMAS)	52
	5.9. G	reen public procurement	53
	Methodolo	ogical notes	55
		hy	
List of	tables		
		Pa	ige
	Table 1	Indicators of natural asset base	57
	Table 2	Indicators of environmental and resource productivity of the economy	58
	Table 3	Indicators of environmental quality of life	59
	Table 4	Indicators of economic opportunities and policy responses	60
List of	charts		
			ige
	Chart 1.	Farmland Bird Index and Forest Bird Index	
	Chart 2.	Land use changes in the years 2002–2019	14
	Chart 3.	Structure of agricultural land designated for non-agricultural purposes and forest land designated for non-forest purposes	15
	Chart 4.	Forest cover and forest area	16
	Chart 5.	Indicator of surface waters availability per capita	18
	Chart 6.	Share of extraction in balance-sheet deposit resources of selected minerals	19
	Chart 7.	Indices of consumption of water for needs of the national economy and population as well as GDP	20
	Chart 8.	Indices of domestic material consumption (DMC) and GDP	22
	Chart 9.	Indices of waste generated (excluding municipal waste) and GDP	23
	Chart 10.	Indices of municipal waste collected and consumption expenditure in the households sector	
	Chart 11.	Indices of gross nitrogen and phosphorus balance sheet as well as gross value added of agricultural output	26
	Chart 12.	Indices of total primary energy consumption and GDP	27
	Chart 13.	Share of renewable energy in gross final energy consumption	29
	Chart 14.	Share of renewable energy in transport	30
	Chart 15.	Indices of greenhouse gas emissions	31
	Chart 16.	Indices of greenhouse gas emissions and GDP	31

			Page
	Chart 17.	Average number of days with exceeded value of 120 μg/m³ by 8-hour ozone concentration by type of monitoring site	33
	Chart 18.	Urban population exposure to air pollution by ozone (SOMO35)	34
	Chart 19.	Emissions of PM ₁₀ and PM _{2,5} per capita	35
	Chart 20.	Urban population exposure to air pollution by PM _{2,5}	36
	Chart 21.	Percentage of population exposed to road traffic noise in agglomerations over 100 thousand inhabitants	37
	Chart 22.	Percentage of population exposed to road traffic noise in agglomerations in particular classes of noise levels in 2017	38
	Chart 23.	Share of entities exceeding industrial noise limits in total number of inspected companies	39
	Chart 24.	Percentage of population using water supply network	40
	Chart 25.	Percentage of population using sewage network	41
	Chart 26.	Green areas in cities	42
	Chart 27.	Organic farms and organic agricultural land	43
	Chart 28.	Outlays on fixed assets for environmental protection	44
	Chart 29.	Environmental taxes	45
	Chart 30.	Research and development (R&D) expenditure	47
	Chart 31.	Patent applications and grants in environment-related technologies – the European Patent Office	48
	Chart 32.	Patent applications and grants in environmental technologies – the Patent Office of the Republic of Poland	49
	Chart 33.	Eco-innovation index for the EU-28 Member States in 2019	50
	Chart 34.	Poland on the background of the EU-28 Member States and country with the highest eco-innovation index in 5 thematic areas in 2019	
	Chart 35.	Participants and laureates of Green Technology Accelerator	51
	Chart 36.	Organisations and their sites with Eco-Management and Audit Scheme (EMAS) registration	52
	Chart 37.	Green public procurement	54
List of figu	res		
			Page
	Figure 1.	Relations between green economy elements and indicator groups	56

Symbols

Syml	bol	Description
Hyphen	(–)	magnitude zero
Zero	(0,0)	magnitude not zero, but less than 0,05 of a unit
Dot	(.)	data not available, classified data (statistical confidentiality) or providing data impossible or purposeless
"Of whic	:h"	indicates that not all elements of the sum are given
Comma	(,)	used in figures represents the decimal point

Major abbreviations

Abbreviation	Meaning
μg	microgram
dam³	cubic decametre
hm³	cubic hectometre
dB	decibel
kgoe	kilogram of oil equivalent
toe	tonne of oil equivalent
Mtoe	megatonne of oil equivalent
GJ	gigajoule
MWh	megawatt·hour
cont.	continued
рр	percentage point
DMC	domestic material consumption
PPS	Purchasing Power Standard
GDP	gross domestic product
Dz. U.	Journal of Law
EEA	European Environment Agency
EPO	European Patent Office
EUROSTAT	Statistical Office of the European Union
FAO	Food and Agriculture Organization
KOBiZE	National Centre for Emissions Management
OECD	Organisation for Economic Cooperation and Development
EU	European Union
UNEP	United Nations Environment Programme
EMAS	Eco-Management and Audit Scheme
EMEP	European Monitoring and Evaluation Programme
ESA	European System of Accounts
EU ETS	European Union Emissions Trading System
IPC	International Patent Classification
IPCC	Intergovernmental Panel on Climate Change
NFR	Nomenclature for Reporting
PROW	Rural Development Programme
WHO	World Health Organisation
WISL	National Forest Inventory

Executive summary

Poland tries to move towards greening the economy and reaching sustainable development by taking up various activities aimed at protecting the environment. Progress of these activities should be monitored and it can be done through indicators grouped in four thematic areas: natural capital, environ-mental and resource productivity of the economy, environmental quality of life as well as economic opportunities and policy responses.

Natural capital indicators describe the state of natural environment, i.e. existing natural resources and their changes. In 2019, areas of special nature value under legal protection comprised 32.3% of the total area of the country, which placed Poland among the top European countries in terms of the percentage of sea and land area under legal protection. In 2019, the area of forests in Poland was 9258.8 thousand hectares and forest cover indicator amounted to 29.6%. In 2019, Forest Bird Index equalled to 1.27 and was one of the highest throughout the entire survey in comparison with the base year 2000, for which the value of 1 has been accepted. However, in the case of Farmland Bird Index, it reached one of the lowest values – 0.77. In 2002–2019, human activity brought about changes in land use. Land under built-up and urbanized areas increased (by 14.0%), forest, wooded and bushy area, including woody and bushy land on agricultural land (by 7.1%), as well as land under waters (by 2.8%), at the expense of other areas and agricultural land by a 26.8% and 3.5% decrease respectively.

Environmental and resource productivity of the economy indicators, presenting the efficiency of natural resources use in economic processes, show that in many domains there is a relative and even absolute decoupling between economic growth and pressure on environment. In 2000–2019 water exploitation index value increased. In 2019, its growth was observed in comparison with 2018 and 2000 by 13.2% and 271.3% respectively. Similar tendencies were noticed in the case of primary energy productivity indicator. Since 2000 (excluding 2016), it gradually increased. In 2018 in relation to 2017 and 2000 it rose by 4.8% and 152.3% respectively. However, resource productivity index fluctuated. In 2019 it was higher than in 2018 and 2000 (by 10.7% and 141.5% respectively). Reaching a 15% share of renewable energy in gross final energy consumption in 2020 may pose a challenge for a Polish energy policy. In 2018 this share was 11.3% and increased by 0.3 pp in comparison with the previous year.

Environmental quality of life indicators assess population access to basic services in the scope of water and sewage management aimed at environmental protection as well as population exposure to pollutants and health conditions resulting from this exposure. These values show improvement in the following: reduction of excessive noise (especially industrial one), access to sewage network and water supply network, and supply of the population with water meeting quality requirements. On the other hand, some environmental quality indicators prove exceeding emission limits for particulate matter. National PM_{2.5} average exposure indicator in 2019 was 21 μ g/m³, which means it was higher than exposure concentration obligation amounting to 20 μ g/m³ that was set in 2015. The indicator exceeds the national exposure reduction target (18 μ g/m³) to be reached to 2020. Moreover, although the percentage of persons exposed to excessive road traffic noise dwindled, the situation is still far from satisfactory. As a result of rapid road infrastructure development as well as the growing number of vehicles used, in 2017, 43.5% of population of cities with over 100 thousand of inhabitants was exposed to excessive noise exceeding 55 dB in day-evening-night time. In night-time 26.3% of the city population was exposed to noise exceeding 50 dB.

Economic opportunities and policy responses indicators relate to instruments affecting economy and society, which are used to create desired development trends in greening the economy. Organic farming is one of activities supporting the implementation of this idea. In spite of an initial fast development of this type of agriculture, in 2014–2018 a steady decrease in the share of organic agricultural land in total agricultural land was noted. It could result from a diminishing payments received by farmers within the Rural Development Programme for farms carrying out organic farming. In 2019, compared to the previous year, there was an increase in the share of organic agricultural land in total agricultural land (by 0.2 pp), despite

a decrease in the number of organic farms. Another instrument of environment protection policy are environmental taxes. In 2018, revenues from environmental taxes in Poland constituted 7.5% of total revenues from taxes and contributions, and their share in relation to GDP amounted to 2.7%. Among environmentally related taxes, energy taxes were of greatest fiscal importance with 87.3% revenues and transport taxes with their 8.5% revenues. In the period of 2000–2018 the share of environmental taxes in total revenues from taxes and contributions as well as in relation to GDP remained fairly stable. Activities aimed at greening the economy require, among others, implementing new technologies. In 2019, the Patent Office of the Republic of Poland granted 161 environmental technology patents. Their share in total number of patents amounted to 5.3% and was the highest since 2000. Environmental aspect is taken into consideration by institutions dealing with public procurement. According to data from the Public Procurement Office coming from contracting authorities show, in 2019, 1.3 thousand public procurement included ecological criteria and their share in total number of public procurement equalled 0.9%. Total green public procurement value (excluding Value Added Tax) was 5.9 billion PLN, i.e. 3.0% total value of public procurement contracts.

Chapter 1

Socio-economic context

The state of environment in Poland is a resultant of many social and economic factors. Thus, progress in greening the economy should be made with regard to socio-economic conditions of the country.

Poland is 6th country in Europe in terms of area, which is 312 705 km². Land use structure is dominated by agricultural land (60.0% of total area).

As of 31 December 2019, population equalled 38.4 million, of which the majority lived in urban areas (60.0% of total population). It means that 123 persons lived in 1 km².

In 2019, natural increase was negative and amounted to minus 34755 persons. Life expectancy in Poland is gradually elongating and in the analysed year equalled 77.8 years, and it was longer for females (81.8 years) than for males (74.1 years).

Taking into consideration the division by economic groups of age, it can be noticed that in 2019 in relation to 2000, the share of persons at pre-working age and working age was reduced (by 6.3 pp and 0.8 pp respectively), while the percentage of post-working age population increased (by 7.1 pp). It is reflected in the age dependency ratio, which in 2019 was 67.

In 2019 in Poland there were employed 16.1 million persons, the most in the industry sector (20.2% of total employed). Registered unemployment rate in 2019 was the lowest one since 2000 and equalled 5.2%.

In 2019, according to the LFS, 5.2% of young people at the age of 18–24 in total population of the same age group did not continue their education, while the number of adults at the age of 25–64, who received education and training in total population of the same age group was 4.8%. Public expenditure on education amounted to 4.75% GDP (since 2019 expenditure on education in relation to GDP has been presented together with expenditure on science due to the changes in the budget classification) and was close to the level in 2000.

In 2018 in comparison to 2000, gross real disposable income of household sector increased by 60.1%, however, at-risk-of-poverty rate after social transfers was lowered from 20.5% in 2005 to 15.4% in 2019.

In 2019, 86.7% of households and 96.3% of enterprises had access to the Internet.

Investment outlays in national economy, which in 2019 in current prices amounted to 320.9 billion PLN, increased almost 2.5 times compared to 2000.

Gross domestic product (in current prices) per capita increased from 19.6 thousand PLN in 2000 to 59.6 thousand PLN in 2019 (according to preliminary data). Gross value added, in other words, value of goods produced by market and non-market national entities decreased by intermediate consumption connected with their production, in 2019 equalled 2010.6 billion PLN (according to preliminary data). The section that dominated the share in gross value added, amounting to 24.7%, was industry.

Specification	2000	2005	2010	2015	2018	2019
Population (as of 31 December) in millions	38.3	38.2	38.5	38,4	38.4	38,4
urban areas	23.7	23.4	23.4	23.2	23.1	23.0
rural areas	14.6	14.7	15.1	15.3	15.3	15.3
Population per 1 km ² of total area (as of 31 December)	122	122	123	123	123	123
Population of age in % of total population:						
pre-working age	24.4	20.6	18.8	18.0	18.1	18.1
working age	60.8	64.0	64.4	62.4	60.6	60.0
post-working age	14.8	15.4	16.8	19.6	21.4	21.9

Wyszczególnienie	2000	2005	2010	2015	2018	2019
Age dependency ratio (non-working age population						
per 100 persons of working age)	64	56	55	60	65	67
Life expectancy	73.7	75.0	76.2	77.5	77.6	77.8
males	69.7	70.8	72.1	73.6	73.8	74.1
females	78.0	79.4	80.6	81.6	81.7	81.8
Natural increase in thousands	10.3	-3.9	34.8	-25.6	-26.0	-34.8
Employed persons a in thousands	15488.8	12890.7	14106.9	14829.8	15949.7	16120.6
of which in % in section:						
agriculture, forestry and fishing		16.6	16.8	16.1	14.9	14.8
industry	•	22.2	20.6	20.3	20.3	20.2
of which in division water supply; sewerage, waste management and remediation activities transportation and storage		0.9 4.9	1.0 5.0	1.0 5.2	1.0 5.6	1.0 5.8
Registered unemployment rate (as of 31 December)	•	т.,	5.0	3.2	3.0	5.0
in %	15.1	17.6	12.4	9.7	5.8	5.2
Early school leavers ^{bc} in %		5.3	5.4	5.3	4.8	5.2
Lifelong learning bd in %		4.9	5.2	3.5	5.7	4.8
Spendings on Human Resources (public expenditures on education) in relation to GDPe in %	4.74	5.08	4.66	4.44	4.33	4.75
Total gross real disposable income of households sector (2000=100)	100.0	105.0	129.7	142.3	160.1	
At-risk-of-poverty rate after social transfers in %		20.5	17.6	17.6	14.8	15.4
Households ⁹ in % of total households equipped with:						
Internet access		30.4	63.4	75.8	84.2	86.7
broadband Internet		15.6	56.8	71.0	79.3	83.3
Enterprises ^h in % of total enterprises equipped with:						
Internet access		86.1	95.8	92.7	95.6	96.3
broadband Internet		42.3	69.0	91.9	95.0	96.3
Investment outlays (current prices) in million PLN	133160	131055	217287	271839	302675	320937
in percentage:						
public sector	34.8	34.9	43.5	37.3	35.6	33.7
private sector	65.2	65.1	56.5	62.7	64.4	66.3
Gross domestic product (current prices) per capita						
in PLN	19565	25957	37564	46837	55230	59598i
Gross value added (current prices) in million PLN	664322	870463	1273022	1598028	1857482	2010603 ⁱ
of which in % in section:						
agriculture, forestry and fishing	3.5	3.3	3.2	2.7	2.7	2.7
industry	24.2	25.0	24.4	26.0	24.9	24.7
of which in division water supply; sewerage, waste management and remediation						
activities	1.1	1.1	1.2	1.3	1.3	1.3
transportation and storage	5.2	5.8	5.4	6.5	7.0	7.0

a Including employed persons in budgetary entities conducting activity within the scope of national defence and public safety. b On the basis of the Labour Force Survey (LFS); the LFS results were generalized on the basis of the balance of population compiled: in 2005 using the results of the Population and Housing Census 2002, and since 2010 on the basis of Population and Housing Census 2011. c Percentage of the population aged 18–24 having completed at most lower secondary education, who do not continue education and do not attend vocational trainings to the total population of the same age group. d Percentage of the population aged 25–64 continuing education or attending vocational trainings to the total population of the same age group. e Due to the changes in the budget classification, since 2019, expenditure on education relative to GDP has been presented together with expenditure on science. f The survey EU-SILC has been conducted in Poland since 2005 – as reference period for incomes is taken the year preceding the one under survey. g Data concern households with at least one person aged 16–74 having the Internet access at home. h Data concern economic entities employing more than 9 persons. i Preliminary data.

Chapter 2

Natural asset base

2.1. Biodiversity

Biodiversity means diversity of all living organisms inhabiting the Earth in terrestrial, marine and freshwater ecosystems as well as ecological complexes, of which they are a part. It concerns diversity within a scope of species (genetic diversity), among different species as well as diversity of ecosystems.

Biodiversity plays a vital role in many fields of human interest. Maintaining ecological value is a key factor in ecological and economic terms, on both national and international levels. Loss of ecosystem biodiversity is a threat to proper functioning of our planet, and then, in turn, to economy and population.

Establishing areas of special nature value under legal protection is a form of ecosystem protection against uncontrolled human pressure on environment. In 2019, these areas comprised 10.1 million hectares, i.e. 32.3% of the total area of the country. In comparison to the previous year and 2000, the percentage decreased slightly by 0.3 pp and 0.2 pp respectively. There were 2633 m² of areas under legal protection per capita. The biggest share in their structure had protected landscape areas (69.5%) and landscape parks (25.8%).

According to the World Bank data, in 2018, terrestrial and marine protected areas in 28 countries of the European Union constituted 23.1% of total territorial area of the EU. The following countries were in the group of states with the highest share of protected area: Slovenia (55.1% of total territorial area), Luxembourg (40.9%), Germany (38.8%) and Poland (38.1%). Countries with the lowest share, however, were Cyprus (1.7%), Ireland (4.0%) and Malta (6.4%).


Environment state of ecosystems related to agricultural and forest land may be evaluated on the basis of aggregated Farmland Bird Index (FBI) and Forest Bird Index. Changes in the bird population on a regional or national level are important factors providing information concerning either the improvement, homeostasis or the deterioration of environment quality. Index value for the year 2000 (base year) was 1 (100%).

Farmland Bird Index (FBI) is one of official environment state indices in the member states of the European Union, used to assess farmed environment. Farmland Bird Index is an aggregated index of population number of 22 farmland bird species. In Poland to calculate FBI the following bird species are taken into consideration: the white stork, the kestrel, the lapwing, the godwit, the turtledove, the hoopoe, the crested lark, the skylark, the barn swallow, the meadow pipit, the western yellow wagtail, the winchat, the stonechat, the common whitethroat, the red-backed shrike, the starling, the tree sparrow, the seedeater, the linnet, the bunting, the ortolan bunting and the corn bunting.

Forest Bird Index is used to describe the population of birds (avifauna) typical of national forest ecosystems. Forest Bird Index aggregates changes in the number of population for 34 most common bird species connected with forest areas: the stock dove, the black woodpecker, the middle spotted woodpecker, the woodlark, the tree pipit, the Eurasian wren, the dunnock, the European robin, the redstart, the blackbird, the song thrush, the mistle thrush, the Eurasian blackcap, the wood warbler, the chiffchaff, the willow warbler, the goldcrest, the common firecrest, the red-breasted flycatcher, the European pied flycatcher, the long-tailed tit, the marsh tit, the willow tit, the European crested tit, the coal tit, the great tit, the European nutatch, the Eurasian treecreeper, the short-toed treecreeper, the Eurasian jay, the chaffinch, the Eurasian siskin, the bullfinch, the hawfinch.

In the years 2001–2003 there was a decrease in farmland bird population number by about 14% (chart 1). In the years that followed (apart from 2007) their number increased and in 2008 it reached the reference state from the year 2000. Since 2009 the index has been 12–25% lower than in the base year, which means that the population number at this time has been ranged from 75% to 88% of the 2000 year value. The lowest Farmland Bird Index in its history was noted in 2018 – it was lower by 25.0% than in the base year. In 2019, compared to 2000, the analyzed ratio decreased by 23.0%

Chart 1. Farmland Bird Index and Forest Bird Index



Source: data of the Chief Inspectorate of Environmental Protection obtained under the State Environmental Monitoring.

Changes in the number of common species of forest birds indicate the reverse tendency, their populations are in good condition and their number is increasing in general. Since 2000, the highest value of the indicator in relation to the reference year was recorded in 2016 at 1.33. In 2019, the value of forest bird index equalled 1.27.

According to Eurostat, on the basis of data prepared by the Pan-European Common Bird Monitoring Scheme (PECBMS), in the period 2001–2018, aggregated Farmland Bird Index for the European Union (EU=27) decreased steadily in comparison with the base year (2000=100) and in 2018 amounted to 83.1%. In the case of aggregated Forest Bird Index in 2001–2011 the values were lower than the reference value for the year 2000. From 2012 to 2018, the index was above the base figure for the year 2000 and in 2018 it reached its peak, exceeding the base year value by 7.1%.

Many species of animals and plants are endangered due to natural reasons or human activity. So as to keep record of the number of these species, Red Data Book of Plants and Red Data Book of Animals were created. According to OECD database, among all species existing in Poland, endangered animals covered, among others, 489 vascular plant species (16% of total vascular plants), 1156 animal species, including 1081 invertebrates (3% of total invertebrates) and 75 vertebrate species: 13 mammal species (12% of total mammals), 34 bird species (8% of total birds), 3 reptile species (27% of total reptiles) as well as 25 fish species (20% of total fish).

On the basis of OECD database, the greatest percentage of endangered species of mammals among European Union countries (for which data are available) was noticed in Slovenia (38%) and Germany (34%). In the case of endangered bird species with habitats in a given country, their highest share was in the Czechia (43%) and Estonia (41%), and endangered reptiles – in Slovenia (75%) and the Netherlands (71%). Austria (46%) and Hungary (43%) were among countries with the highest share of endangered fish. The highest percentage of endangered vascular plants was observed in Czechia (54%) and Austria (33%).

2.2. Land use

Land use means the land classified into the following categories: agricultural land, forest, wooded and bushy land, land under waters, built-up and urban area, ecological area, wasteland and various areas.

Land, apart from air and water, is a basic element of environment and natural resources. It plays an important role for society, providing it with room for settlement, with raw materials necessary for food production, with biomass as well as helping to conserve biodiversity and ecosystem productivity. The land use, then, affects soil coverage and soil quality in terms of its richness in nutrients and carbon storage as well as influences greenhouse gas emission. It has an impact on water and air quality, the level of erosion risk, moreover, it plays an important role in flood protection.


According to a geodesic inventory, in 2019, agricultural land comprised 60.0% (18.8 million hectares), forest, wooded and bushy land – 30.5% (9.5 million hectares), and built-up and urban areas – 5.5% (1.7 million hectares) out of the total area of the country, equalling 31.3 million hectares.

Data from Food and Agriculture Organization (FAO) database show that, in 2018, in the EU Member States (EU=28), the total area of agricultural land within agricultural holdings amounted to 181.1 million hectares, which constituted 41.0% of total EU area. Among European Union countries the one with the highest share of agricultural land within agricultural holdings in total country area was Great Britain – 71.2%, and with the lowest Finland and Sweden– 6.7% each. Poland, with its share of agricultural land within agricultural holdings equalling 46.4%, ranked 10th among EU countries.

Human by changes in land use influences biodiversity and ecosystem state. As built-up and urban areas are increasing, there is a loss of natural functions of soil, fertile agricultural land and semi-natural land. Moreover, new built-up land on areas outside already existing residential areas leads to traffic increase and land fragmentation.

In the years 2002–2019 an increase was noted in built-up and urban areas (by 14.0%), forest, wooded and bushy land, including wooded and bushy land on agricultural land (by 7.1%), as well as land under waters (by 2.8%) to the detriment of other area and agricultural land, for which there was a decrease by 26.8% and 3.5% respectively (chart 2).

Chart 2. Land use changes in the years 2002–2019^a




a In order to maintain data comparability, data for 2019 regarding wooded and bushy land on agricultural land were included in forest, wooded and bushy land.

Source: data of the Head Office of Geodesy and Cartography.

In 2019, 4.9 thousand hectares of agricultural and forest land were designated for non-agricultural and non-forest purposes, which means an increase in relation to the previous year and 2000 by 8.1% and 68.5% respectively. The highest proportion of excluded land was designated for residential areas – 52.9% and industrial areas – 16.7% (chart 3).

Chart 3. Structure of agricultural land designated for non-agricultural purposes and forest land designated for non-forest purposes^a



a Excluding agricultural land designed for afforestation.

Source: data of the Ministry of Agriculture and Rural Development as regards agricultural land designated in accordance with the legal regulations on the protection of agricultural and forest land, data on designation of forest land – of the Ministry of Climate.

Land which lost its utility value due to human activity or other factors or which utility value was diminished due to the deterioration of natural conditions may be reclaimed and developed. Land reclamation means creation or restoration of the utility or the natural value for degraded or devastated land through proper formation of the landscape, enhancements of physical and chemical properties, regulation of water conditions, and restoration of soil, reinforcement of scarps and reconstruction or construction of indispensable routes. Reclaimed land is subject to development i.e. agricultural, forest or other type of utilization. In 2019, devastated and degraded land comprised in total 62.1 thousand hectares, of which reclaimed land was solely 1.6 thousand hectares, including for agricultural purposes – 1.1 thousand hectares. Land development comprised 0.5 thousand hectares, of which the majority was also designated for agricultural purposes – 0.3 thousand hectares. Until now the degree of reclamation and development of devastated and degraded land has been low for many years. In 2019, it accounted for 2.6% and 0.8% of total devastated and degraded land respectively.


2.3. Forest resources

Forest is a land of compact area of at least 0.10 ha, covered by forest vegetation (wooded area) or temporarily devoid of forest vegetation (felling sites, blanks, irregularly stocked open stands, coniferous tree and bush plantations, hunting grounds). These are lands designated for silviculture production, constituting a nature reserve or integral part of a national park or registered as monuments of nature.

Forests are the most natural environmental formation and have been inextricably linked to Polish land-scape for ages. They are of an undeniable ecological importance and perform a wide scope of ecosystem functions – not only do they provide natural habitat for plant and animal wildlife, but also protection against soil erosion and floods, carbon dioxide sequestration, climate regulation. They also fulfil important social functions – create favourable conditions for health and recreation, and perform productive functions – supply wood and other forestry products. They constitute an indispensable part of environment sustainability and green economy.

In 2019, forests in Poland covered 9258.8 thousand hectares, which means that their area remained almost the same in comparison to 2018 and increased by 4.4% in relation to 2000 (chart 4). Forest cover (percentage ratio of forest area to the total area of a country) in 2019 was 29.6% and did not change in comparison to the previous year, but grew in relation to the year 2000 (by 1.2 pp). The increase of forest area in Poland is a result of the state forest policy, which plans the state forest cover increase to 31% until 2030.

Chart 4. Forest cover and forest area



According to FAO database, in European Union countries (EU=28) in 2018, the share of forest land in land area amounted to 38.2%. Countries with its highest value were Finland (73.7%), Sweden (68.7%) and Slovenia (61.7%), and the country with the lowest one was Malta (1.4%). Poland, with the value of 30.9%, held 18th position among 28 EU Member States.

Apart from the state forest cover, growing stock plays an important role in characterizing forest condition and implementing forest policy of the country. The main source of information on growing stock of standing wood in Poland from 2009 is the National Forest Inventory (NFI) carried out continuously (in a full

¹ According to the 2030 National Environmental Policy – the Development Strategy in the Area of the Environment and Water Management.

cycle of 5 years) by the Bureau for Forest Management and Geodesy. According to the measurements of the NFI in the years 2015–2019, growing stock reached the volume of 2645.1 million m³ of timber gross (a 14.8% increase in comparison to the measurements in the years 2005–2009), of which 72.3% referred to coniferous trees and 27.7% – to broadleaved trees.

On the basis of FAO database, in 2015, the estimation of wood resources of the European Union (EU=28) amounted to 26680.3 million m³ of timber. Among EU countries, Poland was placed in the group of countries with the highest share of wood resources, following Germany (3663.0 million m³ of timber) and Sweden (2995.5 million m³).

As a result of a constantly growing forest area and growing stock, it is possible to gradually increase removals (timber and slash). In 2019 in Poland, removals amounted to 42.4 million m³ of wood, which means by 7.1% less than in the previous year, but more by 53.2% than in 2000. The biggest share (95.9%) of removals was timber, which amounted to 40.6 million m³. It was by 7.5% less than a year before and by 56.1% more than in 2000. It is important to keep the balance between the volume of timber increment and removals to preserve the forest heritage for future generations.

As Eurostat data show, in 2018, European Union countries harvested 501.0 million m³ of wood, the most in Sweden (75.1 million m³) and Germany (71.8 million m³). Poland ranked 5th (46.7 million m³) among 28 EU Member States.

While analysing forest resources, their health state cannot be overlooked. Area of damaged forests (in damage classes above 20%) in Poland in 2019 equalled 3306.4 thousand hectares, which constituted 36.9% of their total area. The dominant reasons of damage included, apart from "other agents" category (29.3% of total forest area), the categories as follows: caused by game (3.7%), fungi (1.5%) as well as insects and wind (0.6% each).

2.4. Freshwater resources

Water resources mean resources of surface waters and underground waters, available or those which may be available for use in the region, marked with the quantity and quality, in the given period.


Water is one of the most important resources on the Earth, playing a vital role for all forms of life. It influences civilization development of a country, constituting a factor affecting the standard of living in a significant way. Freshwater resources sufficient in terms of quantity and quality are crucial for ecosystem development, human life, and for undertaking various economic activities.

Agriculture, industrial infrastructure, urbanization and individual needs of growing population lead to the increase in freshwater demand, therefore it is important both to monitor its quantity and quality as well as to use it in an effective way.

Poland is a country of limited freshwater resources. Most of them are surface water resources. As Eurostat data show, freshwater resources (as a long-period average) in Poland equal 60.6 billion m³. It is hardly 1.6 dam³ water per capita, which places Poland together with Malta (0.2 dam³), Cyprus (0.4 dam³) and Czechia (1.5 dam³) in the group of EU countries mostly threatened by a shortage of water. The top EU countries with the highest freshwater resources are France (206 billion m³), Sweden (195 billion m³) and Germany (188 billion m³). Freshwater resources per capita are the highest in Croatia (28.8 dam³), Finland (20.0 dam³), Sweden (19.3 dam³) and Latvia (18.9 dam³).

The most commonly used measurement of establishing the amount of water resources is the indicator of surface waters availability. It states the per capita amount of surface water run-off (from Polish territory, including foreign tributaries) within a year. In 2019, this indicator dropped to 1.1 dam³, reaching its lowest value since 2000 (the values were similarly low in the years 2015–2016) The indicator of waters availability in the analysed period peaked in 2010 and reached 2.3 dam³ (chart 5).

Chart 5. Indicator of surface waters availability per capita



Surface waters are the main source of supplying national economy with water. Surface water withdrawal in 2019 (excluding irrigation in agriculture and forestry) was 7437.2 hm³, accounting for 80.4% of total withdrawal. Surface water abstraction from rivers and lakes is used mainly for production purposes – in 2019 it represented 80.9%.

Underground waters as waters of much better quality are mainly treated as drinking water supply. Exploitable resources of underground waters, by the end of 2019, amounted to 18252.2 hm³, which is more than in 2018 and 2000 by 0.7% and 13.7% respectively. Their withdrawal was 1772.1 hm³ (19.2% of total withdrawal), so it did not change in comparison to the previous year, but increased by 1.4% in relation to 2000.

To illustrate the entire water country demand in relation to available water resources Water Exploitation Index (WEI) is used. It presents the share of mean annual total abstraction of freshwater in the long-term average freshwater resources. WEI value exceeding 20% means that there is a water stress phenomenon, i.e. stress caused by water shortage. According to Eurostat database, in 2017 in the case of Poland, this index was 17.6%, and from 2000 it reached 20% in 2006 (20.2%). Among the EU countries, the worst situation in this respect in 2017 was recorded in Cyprus (67.4%) and Malta (50.8%).

2.5. Mineral resources

Mineral resources, included in the group of non-renewable natural resources, are minerals being elements of the natural environment: earth's crust, hydrosphere, biosphere and atmosphere, delineated from them and adapted for use by a certain branch of technique or specific technology.


A key role to ensure a high standard of living in developed countries and to maintain constant economic growth play fossil fuels and non-metallic minerals. They safe-guard access to energy, warmth, building material resources and they constitute a basis for industry and technological development.

As we are facing a problem of limited and diminishing resources such as hard coal, lignite, and natural gas, achieving green economy objectives should ensure meeting the needs of not only the present but also the future generations. Keeping a relative balance between the volume of non-renewable resources and their extraction is an important factor affecting the stability of economic growth and green growth.

In 1990–2019 geological resources of hard coal (balance-sheet and off-balance-sheet) diminished from 86.0 billion tonnes to 78.3 billion tonnes (by 9.0%), which was mainly caused by exploitation and changes

in balance criteria. Its annual exploitation fell from 151.3 million tonnes in 1990 to 64.1 million tonnes in 2019 (by 57.7%). In 2019, the share of extraction in balance-sheet resources of hard coal was 0.1% and was lower by 0.1 pp in relation to 1990 (chart 6).

Chart 6. Share of extraction in balance-sheet deposit resources of selected minerals



Source: data of the Polish Geological Institute - National Research Institute.

According to Eurostat data, in 2018, 5 from 28 European Union Member States mined hard coal. In total, 73.9 million tonnes were mined. The highest share in total extraction in EU was noted in Poland (85.8%).

Lignite, in comparison to hard coal, is a lower ranking type of coal, with a much lower calorific value. In 2019, its geological resources (balance-sheet and off-balance-sheet) were 26.8 billion tonnes, which means that they increased by 56.7% in relation to 1990. The increase was mainly connected with the documentation of new deposits. Due to the fact that coal matter location on the Polish area is identified to a great degree, it can be assumed that the chances for finding new large lignite resources are limited, however, it is possible to discover small and medium deposits of economic significance in the area of carbon deposits. The volume of annual lignite extraction fell down from 1990 to 2019 from 67.7 million tonnes to 52.9 million tonnes (by 21.9%). In 2019, the share of lignite extraction in its balance-sheet resources was 0.2% (in 1990 – 0.5%).

As Eurostat data show, in 2018, lignite was extracted in 10 from 28 countries of the European Union with the amount equalling 368.7 million tonnes. Countries with the greatest extraction were Germany (166.3 million tonnes) and Poland (58.6 million tonnes).

Natural gas, due to its high calorific value, unchangeable chemical composition (the possibility of even combustion), the ease to regulate the source, smoke-, soot- and ash-free combustion, is the most valuable fuel. It is used in many branches of industry and in households. It is also used to produce electric energy, as fuel for engines, and it is an important raw material for chemical industry. Geological resources of natural gas (balance-sheet and off-balance sheet) diminished since 1990 from 164.1 billion m³ to 144.2 billion m³ in 2019, i.e. by 12.1%. At the same time, ecological properties of gas, as well as the wide scope of its use resulted in the fact that annual gas extraction increased by 44.0% from 3.5 billion m³ in 1990 to 5.0 billion m³ in 2019. The share of extraction in balance-sheet resources of natural gas was 3.5% in 2019 (in 1990 – 2.2%).

Eurostat data show that in 2018 natural gas was produced by 18 from 28 EU countries. The production amounted to 119.7 billion m³. The highest production was noted in Great Britain (40.8 billion m³), the Netherlands (38.8 billion m³) and Romania (10.3 billion m³). Poland ranked 5th among EU countries where natural gas was produced.

Chapter 3

Environmental and resource productivity of the economy

3.1. Water productivity


Water productivity is calculated as the gross domestic product (in constant prices) divided by the consumption of water for needs of the national economy and population. The indicator presents GDP per water consumption unit and is used to assess the efficiency of water management.

Water plays an important role in processes taking place in ecosystems, constituting an abiotic component of environment, vital for ecosystem functioning. It is a very valuable, distinctive and renewable material, whose resources vary in time. It fulfils different functions in economic activity, therefore it is necessary to protect water against pollution as well as to ensure its rational and efficient use. Water resources are unevenly distributed in the country area and are subjected to seasonal and yearly fluctuations, which makes it necessary to monitor their consumption.

In 2019, consumption of water for needs of the national economy and population (excluding irrigation in agriculture and forestry) was 8816.0 hm³, of which for industrial purposes – 6292.5 hm³ (71.4% of total water consumption), exploitation of water supply network – 1676.1 hm³ (19.0%), as well as fishing (i.e. filling and completing fish ponds) – 847.4 hm³ (9.6%). In relation to 2000, positive changes took place in industry, where there was a decrease of water consumption by 17.1% and in the case of exploitation of water supply network – by 4.4%. The decrease was noted also in water consumption for the needs of national economy and population per capita (from 272.1 m³ in 2000 to 229.7 m³ in 2019).

The main factors affecting the quantity of used water are production intensity together with the volume and patterns of individual consumption. Analyzing the indices of water consumption and GDP in the years 2001–2019 in relation to 2000, it can be stated that there was a positive trend – almost constant water consumption level (excluding 2006 and 2007, when a relatively high increase of water consumption was noted in comparison to 2000) and even its decrease in recent years, with a constant gradual GDP increase (chart 7).

Chart 7. Indices of consumption of water for needs of the national economy and population as well as GDP^a 2000=100



a Consumption of water for needs of the national economy and population – since 2019 excluding irrigation in agriculture and forestry; GDP for 2019 – preliminary data.

Efficient water consumption constitutes a base for proper water management. In the years 2000–2019 water productivity index¹ was becoming more and more favorable. In 2019, the ratio of GDP to cubic meter of water consumed was 251.57 PLN/m³, which means that it increased both to the year 2018 and 2000 by 13.2% and 271.3% respectively.

According to Eurostat data, for 18 countries of the European Union for which data are available, the highest value of water productivity index in 2017 was in Malta (where the value of generated GDP was 316.8 PPS² units per cubic meter of freshwater abstracted) and Denmark (250.2 PPS/m³) and the lowest in Estonia (17.4 PPS/m³) and Bulgaria (18.7 PPS/m³). Poland with 74.9 PPS/m³ was in the 11th position.

To assess the effectiveness of water management, in addition to water productivity index, it is also possible to use water intensity indicators, such as water use intensity of industry (illustrating the ratio of industry water consumption to gross value added of industry) or water use intensity of households (the ratio of consumption of water from water supply system in households to gross value added of households).

Since 2000 there have been positive tendencies in Poland in terms of both indicators. The water use intensity of industry was gradually decreasing (excluding the following three years: 2002, 2006 and 2011, when a slight increase was observed in relation to the previous year). In 2019, it reached 13.0 m³/thousand PLN, i.e. was lower in comparison to 2018 and 2000 by 11.4% and 74.0% respectively. Household sector was also characterized by much lower water use intensity index, which also decreased. In 2019, it was 2.4 m³/thousand PLN, i.e. decreased in relation to 2018 and 2000 respectively by 1.9% and 62.9%.

3.2. Domestic material consumption

Domestic material consumption (DMC) is defined as the quantity of raw materials extracted from the natural environment in the domestic territory of the economy during the year for further processing or direct consumption, plus all physical imports of raw materials minus all physical exports of raw materials. It measures the total amount of materials directly used by a national economy.

Domestic material consumption is a basis for economy functioning and is also an important source of both income and employment. However, all these three: the extraction, processing and the consumption of produced goods result in multidimensional pressure on all components of environment. Therefore it is important to make the resource management process in the entire life of a product as little harmful and as efficient as possible and to ensure access to these resources to future generations.

According to preliminary data of Eurostat, domestic material consumption in 2019 in Poland was 702.0 million tonnes. It was lower by 4.4% than in 2018, but higher by 30.2% in relation to 2000. Yearly domestic material consumption per capita amounted to 18.5 tonnes.

Domestic material consumption in 28 Member States of the European Union in 2019 reached 6891.0 million tonnes, and per capita in the EU – 13.4 tonnes. The highest material consumption per capita was in Finland (32.5 tonnes) and Estonia (30.4 tonnes), and the lowest in Italy (8.1 tonnes) and Great Britain (8.4 tonnes).


In DMC structure, the biggest share in Poland had non-metallic minerals (50.2%), whose consumption in the analysed year was 352.4 million tonnes. The share of remaining materials, i.e. biomass, fossil energy materials/carriers and metal ores in the total consumption was 25.2%, 19.8% and 5.5% respectively. In relation to 2000, the consumption of non-metallic minerals increased the most, by 105.8%. It is largely connected with the realisation of infrastructure projects, among others financed from European Union funds.

¹ When calculating the indicator, since 2019 consumption of water for needs of the national economy and population does not include irrigation in agriculture and forestry.

² Purchasing Power Standard (PPS) – the artificial common reference currency unit used in the European Union to express the volume of economic aggregates for the purpose of spatial comparisons in such a way that price level differences between Member States are eliminated.

In the period 2001–2019 DMC dynamics fluctuated in comparison with 2000. However, in the entire analysed period, apart from the years 2001–2003, it was higher than in the base year, with a constantly growing GDP (chart 8). It proves a relative decoupling between GDP and material consumption.

Chart 8. Indices of domestic material consumption (DMC) and GDP^a



a DMC and GDP for 2019 - preliminary data.

Source: data regarding domestic material consumption – Eurostat database (access date 29 October 2020).

To measure the efficiency of material consumption in economy, resource productivity index is used, i.e. a relation of gross domestic product (in constant prices) to domestic material consumption. The higher the value of this index, the lower material consumption to produce a unit of GDP. In the years 2000–2015, the efficiency of resource use gradually increased from 1.31 PLN/kg to 2.77 PLN/kg (except for the years: 2004, 2007 and 2011, when the analysed indicator assumed lower values compared to the previous year). In the two years that followed the resource productivity index slightly decreased and since 2018 it has begun to grow from 2.85 PLN/kg to 3.16 PLN/kg in 2019.

According to preliminary estimates of Eurostat, w 2019, the resource productivity index in countries of the European Union was 2.3 PPS/kg. Member States with the highest index were the Netherlands (4.2 PPS/kg), Great Britain (3.9 PPS/kg) and Luxembourg (3.8 PPS/kg), and the one with the lowest – Bulgaria (0.8 PPS/kg). Poland with the index value of 1.2 PPS/kg ranked 24th among 28 countries of the European Union.

3.3. Waste management

Waste means any substance or object which the holder discards or intends or is required to discard. It includes waste generated in production processes (excluding municipal waste) and municipal waste.

Municipal waste is defined as waste generated in households, excluding end-of-life vehicles or generated by other waste producers (excluding hazardous waste) which on the account of its character and composition is similar to waste from households.

Waste management can significantly affect environment and human health. Limiting waste generation in the era of increasing production and consumption is an important condition of reducing a negative effect on environment and one of the challenges of today's world. Waste recovery through landfilling is an example of inefficient resource management, leading, additionally, to pollutant emissions to air, land and water, to wasting land on landfilling sites or damaging the natural beauty of landscape. Only the reuse of waste, its recovery or recycling make it possible for the waste to become a resource-to-be, helping

to reduce the use of raw materials for the production of goods, and to more efficient resource management.

In 2019, 126.9 million tonnes of waste were produced, of which 89.9% was waste other than the municipal one.


Waste (excluding municipal waste)

In the period 2000–2019 the lowest amount of generated waste (excluding municipal waste) – 111.1 million tonnes was noted in the year 2009, which could have been a result of, among others, the economic slowdown, while the largest amount in 2014 – 131.3 million tonnes. In 2019, 114.1 million tonnes of waste were produced, which is a decrease by 1.0% in comparison with the previous year and by 9.0% in relation to 2000. The main source of waste generation were entities belonging to the following sections: mining and quarrying (55.8% of total amount of generated waste excluding municipal one), manufacturing (23.8%), as well as electricity, gas, steam and air conditioning supply (12.3%).

Recovery processes play a meaningful role in waste management. In 2019, recovered waste by waste producer on its own as well as transferred to other recipients for recovery processes was 55.8 million tonnes, which accounted for 48.9% of total generated waste (in 2018 – 50.7%).

Analysing the dynamics of the amount of generated waste and GDP in the period of 2001–2019 in relation to 2000, a positive trend can be observed (chart 9), namely a constant growth of GDP with a stable dynamics of the amount of generated waste, below the base year value 2000=100 (apart from the years 2013–2016).

Chart 9. Indices of waste generated (excluding municipal waste) and GDP^a



a GDP for 2019 – preliminary data.

Municipal waste³

The most important tasks in municipal waste management, resulting from the need to protect the environment, boil down to minimising waste production and to maximizing their management as well as to limiting to the necessary minimum waste landfilling in the environment.


³ From 2014 municipal waste collected as a result of changes in the municipal waste management system (from 1st July 2013 municipalities covered all real-estate owners with the system) includes waste collected from all inhabitants and is considered as waste generated.

In 2019, 12.8 million tonnes of municipal waste were collected, which means an increase both in relation to 2018 and 2005 by 2.1% and 36.4% respectively. In 2019 in Poland, waste per capita amounted to 332.2 kg, which is more in comparison with the previous year and 2005 by 2.2% (by 7.2 kg) and 35.6% (by 87.1 kg).

Eurostat data show that in 2018 the amount of municipal waste per capita in Poland (329 kg) was decisively lower that the European Union average (489 kg) and was one of the lowest (preceded only by Romania – 272 kg) in EU countries. The highest analysed value was recorded in Denmark (814 kg), Malta (640 kg) and Germany (615 kg).

In Poland in the years 2006–2019 the dynamics of the amount of municipal waste collected and final consumption expenditure in the households sector (chart 10) was above the base year level (2005=100). Since 2007, the growth rate of generating municipal waste has been lower than the growth rate of consumption in the households sector. In 2019, it was respectively at 36.4% and 63.1%, which shows a relative decoupling between the amount of generated municipal waste and consumption in a households sector.

Chart 10. Indices of municipal waste collected and final consumption expenditure in the households sector a 2005=100



a Final consumption expenditure in the households sector for 2019 - preliminary data.

One of the main methods of reducing the amount of waste is recycling, whose main aim is to re-use of materials. Selective waste collection is necessary to facilitate recycling processes. In 2019, 4.0 million tonnes of municipal waste were collected separately. The proportion of waste collected separately in the total mass of collected municipal waste from 2003 was gradually growing, reaching 31.2% in 2019. This positive trend can result from, among others, a steady rise of society ecological awareness, the implementation of programmes of managing municipal waste as well as from pricing policy of gminas in the field of waste collection. Yet, although the amount of waste collected without selecting is falling, it has a high share there (in 2019 – 68.2%).

According to Eurostat data, recycling rate of municipal waste (share of waste designated for recycling and biological treatment in total municipal waste) in European Union countries (EU=28) in 2018 was 47.0%. Germany (67.3%), Slovenia (58.9%) and Austria (57.7%) had the highest value of the indicator and Malta (6.5%) – the lowest. Poland with the recycling rate of municipal waste at 34.3% was 18th among EU countries.

3.4. Nitrogen and phosphorus balances

Gross nitrogen and phosphorus balance means the difference between the quantity of nitrogen / phosphorus introduced on agricultural land and obtained from agricultural land. Gross nitrogen balance sheet consists of, apart from emission of its compounds to land and water, gas "losses" in the form of ammonia and nitric oxide, in the livestock production processes, including the processes of storage and application of manure, as well as mineral nitric fertilizers.

A negative balance, i.e. the difference between the inflow and outflow of components indicates their shortage, while a positive one – an excess of components.

Modern agriculture has a significant effect on environment. Therefore, it is important to keep the balance between nature protection and economic benefits so as to ensure the restoration of natural resources necessary for further production activities. Agricultural activity interferes in natural nutrient cycles, thus creating the risk of imbalance of ecosystems.

Biogenic compounds of nitrogen and phosphorus that remain unused are among the most serious dangers generated by agriculture. They can be released to groundwater and open water and in the case of nitrogen ones they can be released to air. Their deficit can, in turn, lead to a lower productivity and soil degradation.

Nowadays it is difficult to imagine agriculture without fertilizing. Fertilizer application is a main yield factor, influencing agricultural production development. Economic effects are largely dependent on the amounts of fertilizers used. However, overdosing and misapplication of fertilizers lead to the accumulation of harmful components in soil and their transmission to animal and human food chain.

Consumption of nitric fertilizers (in pure ingredient – N) in the economic year 2018/2019 was 1.0 million tonnes and was lower in relation to the previous year by 15.7%, but higher compared to the 1999/2000 economic year by 15.4%. The figure of nitrogen fertilizers per 1 ha of agricultural land in the economic year 2018/2019 was 67.7 kg, while a year before – 80.4 kg, and in the economic year 1999/2000 - 48.4 kg.

In the case of the use of phosphoric fertilizers in the economic year 2018/2019, which amounted to 0.3 million tonnes (in pure ingredient – P_2O_5), there was an increase in relation to the previous year and to the economic year 1999/2000 by 1.4% and 15.7% respectively. In the analysed year, the use of phosphoric fertilizers per 1 ha of agricultural land was 23.4 kg, in the previous year – 23.1 kg, and in the economic year 1999/2000 – 16.7 kg.


Nitrogen and phosphorus balances, as an example of many agri-environmental indicators, are a very important source of information on agricultural influence on environment conditions. A comprehensive evaluation of gross nitrogen and phosphorous balances is carried out on the basis of at least a 3-year cycle, which is to reduce data variation caused by weather conditions.

In nitrogen plant fertilization, nitrogen balance is in general disturbed, due to inevitable losses to air or leaching nitrates to lower levels of soil and groundwater. It is assumed that because of the yield and the quality of groundwater, the gross nitrogen balance sheet should amount to 30–70 kg per 1 ha of agricultural land.

Analysing data concerning the last 18 years, it can be noted that the average gross nitrogen balance per 1 ha of agricultural land grew from 41.1 kg in the period of 1998–2000 to 51.5 kg in 2016–2018. This value is, however, kept at a safe level – below 70 kg per 1 ha of agricultural land.

In the years 2001–2018 the dynamics of gross nitrogen balance in relation to 2000 was lower (except for 2008) than the growth rate of gross value added of agricultural output (chart 11), which is indicative of a relative decoupling between agricultural output and gross nitrogen balance.





a Data for given years are calculated as 3-year averages, e.g. for the year 2000 as an average for the years 1998–2000.

Source: data regarding gross nitrogen and phosphorus balance sheet prepared by the Institute of Soil Science and Plant Cultivation – National Research Institute (Jerzy Kopiński, Beata Jurga), within the framework of 2.1 PW IUNG-PIB 2016–2020 task according to "Nutrient Budgets" methodology OECD/Eurostat.

As Eurostat database shows, in 2017 among 19 European Union Member States, for which data are available, the average gross nitrogen balance sheet per 1 ha of agricultural land was between minus 10.3 kg in Romania and 187.4 kg in the Netherlands.

Phosphorus balance is a basic measure to assess the following: efficiency of plant output, making use of limited phosphate resources and environmental protection. As Polish soil is poor in this element, its supplementation in the form of fertilization is necessary. It is assumed that phosphorus balance, with average phosphorus soil content should be nearing zero, however, with a low phosphorus soil content – to 5 kg per 1 ha of agricultural land.

Within the last 18 years, an average gross phosphorus balance per 1 ha of agricultural land decreased from 3.0 kg in the period of 1998–2000 to 1.9 kg in the years 2016–2018.

Gross phosphorous balance sheet dynamics in 2001–2013 was above a level of the year 2000, and since 2014 the reverse tendency was observed. However, the dynamics of gross value added of agricultural output from 2001 to 2018 was above the level of the base year (2000=100). Although at the beginning there was a relation between gross value added of agricultural output and phosphorous balance sheet, since 2014 there has been an absolute decoupling between these two values.

On the basis of Eurostat data, in 2017 among 16 European Union Member States, for which data are available, the average gross phosphorous balance sheet per 1 ha of agricultural land was from minus 6 kg in Slovakia to 6 kg in Portugal, Finland and Great Britain.

3.5. Energy productivity

Primary energy is energy embodied in the primary energy carriers that are acquired directly from renewable and non-renewable natural resources, necessary to cover the demand for final energy, having regard to the efficiency of the entire chain of processes related to production, conversion and transport to final costumer.

Total primary energy consumption (gross inland consumption of energy) expressed in tonnes of oil equivalent (toe) is the sum of consumption of five energy types: coal, electricity, oil, natural gas and renewable energy sources.


Toe – tonne of oil equivalent (conventional) is the energy measurement unit from different energy carriers, using conversion rates, and used in international balances. It means the amount of energy that can be produced by burning one tonne of crude petroleum. One tonne of conventional oil equals 41.868 GJ (11.63 MWh).

Energy is used in production processes and in households. Its efficient use in economy constitutes an important factor influencing production costs and product competitiveness on international market. Careless use of energy leads to problems with pollution of natural environment (through greenhouse gas emissions) and to energy resources depletion. Energy demand is constantly growing, therefore objectives of green economy include, among others, the need for improvement of energy efficiency and the need for the efficient use of existing energy resources.

In 2018, total primary energy consumption was 106.4 Mtoe and was higher in relation to the previous year and in comparison to 2000 by 1.8% and 17.8% respectively. Among primary energy carriers in 2018, hard coal and lignite held a dominating position (50.9% of total consumption). Their share in the total consumption in relation to 2017 and 2000 was reduced by 0.7 pp and 13.9 pp respectively.

In the years 2001–2018, dynamics of total primary energy consumption in the economy in relation to 2000 assumed values above the level from the base year (except for 2002). However, it was much lower than GDP growth rate. This indicates a relative decoupling between economic growth expressed in GDP and energy consumption (chart 12).

Chart 12. Indices of total primary energy consumption and GDP



To assess the energy policy of the country a primary energy productivity indicator, which is a relation between gross domestic product (constant prices) and total primary energy consumption, can be used. A higher value of the indicator means a lower energy consumption to produce a GDP unit. In 2018, this

measure was 19.70 PLN/kgoe and grew in relation to 2017 and 2000 by 4.8% and 152.3% respectively, which is a positive fact.

Eurostat data show the primary energy productivity indicator in the European Union countries in 2018 was 9.1 PPS/kgoe. EU countries with the highest primary energy productivity were Ireland (18.7 PPS/kgoe), Denmark (11.9 PPS/kgoe) and Romania (11.5 PPS/kgoe). The lowest indicator was noted in Malta (4.7 PPS/kgoe), Estonia (5.0 PPS/kgoe) and Finland (5.3 PPS/kgoe). Poland, having reached 7.7 PPS/kgoe was in the 19th place among 28 EU Member States.

In the period 2000–2018, changes in the structure of final energy consumption, i.e. used by final customers (exclusively for energy purposes without processing into other energy carriers) took place in Poland. In 2018, the biggest consumer was a transport sector with a 32.4% share, followed by households – 27.7%, industry – 23.0%, services – 11.3% and agriculture – 5.6%. In relation to 2000, the largest decrease in the share of final energy consumption was recorded in industry (by 8.7 pp), which can result, among others, from this sector restructuring and introducing new energy-efficient technology. On the other hand, the greatest increase in the share of final energy consumption structure was noted in transport (by 15.4 pp), i.a. as a result of dynamic development of road transport and services.

Final energy intensity coefficients, being the relation between final energy consumption in economy and GDP, can also be used to assess an energy policy of a country.

During the years 2000–2015 a gradual decrease of final energy intensity of Polish economy was observed from 76.8 kgoe/thousand PLN to 34.2 kgoe/thousand PLN, which was a favourable condition as the share of energy necessary to produce the same amount of GDP decreased. In the next two years a slight increase was noted in this respect and in 2018 a decrease to 33.9 kgoe/thousand PLN reoccurred. In relation to 2017 and 2000 it decreased by 4.9% and 55.9% respectively.

In the case of households, the final energy intensity of this sector, depicting the relation between final energy consumption in households and gross value added (constant prices) produced in this sector, was gradually falling from 2000 (except for 2010 and 2016). In 2018, it amounted to 38.2 kgoe/thousand PLN and was lower in relation to 2017 and 2000 – by 5.5% and 54.9% respectively.

In the period of 2001–2016 also in industry there were positive trends such as the decrease in the final energy intensity indicator of this sector, presenting the relation between final energy consumption in industry and gross value added (constant prices) of this sector. After an increase of the indicator in 2017, in 2018 it fell again to 35.2 kgoe/thousand PLN. It means that in comparison with the previous year and 2000, its decrease was noted by 1.3% and 68.9%.

Final energy intensity of transport is measured as a relation of final energy consumption of transport sector to GDP (constant prices) and in 2018 it was 11.0 kgoe/thousand PLN. It was lower in relation to 2017 and 2000 by 2.1% and 15.8% respectively.

3.6. Renewable energy

Renewable energy is the energy derived from natural, repetitive environmental processes, obtained from renewable non-fossil energy sources (energy: hydro, wind, solar heat, geothermal heat, waves, sea currents and tides and energy obtained from solid biofuels, biogas, liquid biofuels) as well as natural environment energy used by heat pumps.

Growing demand for energy, resulting from civilizational growth and care for environment, leads to the increase of renewable energy consumption.

In recent years, renewable energy sources (RES) have been used as an alternative to traditional energy resources. The main reason for their growing popularity is the fact that they can be treated as inexhaustible and, at the same time, decisively less dangerous to environment than traditional energy carriers, primarily because of the reduced emission of harmful substances. Energy generation with the use of


traditional sources is regarded as one of the causes of alarming climate changes, and global resources of traditional carriers are constantly diminishing.

Within the last 14 years there was a constant increase in the amount of renewable energy, from 4.3 Mtoe in 2004 to 8.9 Mtoe in 2018. Solid biofuels occupied the first position in Poland (69.3%) in the structure of energy generation with the use of renewable sources by type of carriers. The share of remaining carriers was as follows: wind energy (12.4%), liquid biofuels (10.2%), biogas (3.2%) as well as hydro energy (1.9%).

The increase in the share of renewable energy in gross final energy consumption is a part of energy policy of the European Union, Poland included. For the latter the goal concerning this issue was established at 15% to be achieved in 2020⁴. What is more, it is assumed that the share of renewable energy in all means of transport by the year 2020 will constitute at least 10% of energy consumption in transport⁵.

In 2018, the share of renewable energy in gross final energy consumption was 11.3%, which is indicative of an increase in relation to the previous year and 2004 by 0.3 pp and 4.4 pp respectively (chart 13).

Chart 13. Share of renewable energy in gross final energy consumption



Eurostat database provides such information that in 2018 the share of renewable energy in gross final energy consumption was 18.0% in European Union countries (EU=28). The highest value of the indicator was noted in Sweden (54.6%), Finland (41.2%), Latvia (40.3%) and Denmark (35.7%), the lowest, however, in the Netherlands (7.4%), Malta (8.0%) and Luxembourg (9.1%). Among EU countries, Poland ranked 22nd.

The growth of the number of cars and the development of the transport sector lead to the growing demand for energy, including crude oil. It generates problems connected with the increase in natural environment pollution and with petroleum depletion, additionally, makes it necessary to enhance alternative fuels (i.a. liquid biofuels) use in transport.

In the period 2004–2011, in Poland a constant increase of the share of renewable energy in fuel consumption of transport was noted and its highest level (6.9%) was reached in 2011 (chart 14). In the years that followed, the share decreased from 6.5% in 2012 to 4.2% in 2017, to grow to 5.7% in 2018.

⁴ On the basis of Directive (EU) 2018/2001 of the European Parliament and of the Council of 11 December 2018 on the promotion of the use of energy from renewable sources

⁵ On the basis of Directive 2009/28/EC of the European Parliament and of the Council of 23 April 2009 on the promotion of the use of energy from renewable sources.




Chart 14. Share of renewable energy in transport

Source: Eurostat database (access date 2 November 2020).

Liquid biofuel production for transport grew from 13.4 thousand toe in 2004 to 905.8 thousand toe in 2018. In the structure of energy generation from liquid biofuels, from 2004 a dominating position belonged to biodiesel (in 2018 – 86.5% of the total energy production from liquid biofuels), the remaining part – to bioethanol (13.3%) and other biofuels (0.2%).

Inferring from Eurostat data, in 2018 the share of renewable energy in transport in European Union countries (EU=28) equalled 8.0%, with Sweden (29.7%) and Finland (14.9%) having the biggest share, and Cyprus (2.7%) – with the smallest one. Among EU countries Poland ranked 21st.

3.7. Greenhouse gas emissions

Greenhouse gases are gases preventing the emission of infrared radiation from Earth, causing surface warming. They are emitted to atmosphere as a result of natural processes and human activity. According to the Kyoto Protocol greenhouse gases (the Kyoto basket) refer to carbon dioxide (CO_2), methane (CH_4), nitrous oxide (N_2O) and fluorinated gases: hydrofluorocarbons (HFCs), perfluorocarbons (PFCs) and sulphur hexafluoride (SF_6).


The Republic of Poland has entered international activities aiming at preventing climate change by ratifying in 1994 the United Nations Framework Convention on Climate Change (1992) as well as in 2002 the Kyoto Protocol (1997). One of the main obligations arising from signing the Kyoto Protocol by Poland was the greenhouse gas emission reduction in the years 2008–2012 by 6% in relation to the base year, which was the year 1988 for Poland. In 2012, greenhouse gas emission in Poland was 404.5 million tonnes of CO_2 equivalent⁶, which means a significant fall by 30.1% in comparison to 1988 (graph 15). This reduction was substantially larger and exceeded the Polish obligation.

It is necessary, however, to reduce greenhouse gas emissions further on. According to the Doha amendment and "Europe 2020" strategy in the period of 2013–2020, countries jointly with the European Union plan to reduce the emission by at least 20% in relation to the base year (for the majority of countries it is 1990). In 2018, according to the data of KOBiZE (the National Centre for Emissions Management), in Poland greenhouse gas emissions (excluding emissions from international aviation and maritime transport

⁶ The equivalent is understood as one megagram (1 Mg) of CO₂ or the amount of any other greenhouse gas being an equivalent of 1 Mg of carbon dioxide, calculated using an appropriate warming potential. Global warming potential for carbon dioxide is − 1, for methane − 25, nitrous oxide − 298.

and land use, land use change and forestry) amounted to 412.9 million tonnes of CO_2 equivalent. It means that their emissions were reduced compared to 1990 by 13.1% (chart 15).

Chart 15. Indices of greenhouse gas emissions




Source: own elaboration on the basis of data of the National Centre for Emissions Management (access date 21 September 2020).

Eurostat database shows that in 2018 greenhouse gas emission (excluding emissions from international aviation and maritime transport and land use, land use change and forestry) in EU countries equalled 4226.0 million tonnes of CO₂ equivalent and was by 25.2% lower than in 1990. The greatest increase in this emission in comparison with 1990 was observed in Cyprus (by 55.0%), Spain (by 15.5%) and Portugal (by 15.0%), and the greatest decrease in Lithuania (by 57.8%), Latvia (by 55.5%) and Romania (by 53.2%).

During the years 2001–2018 in Poland the GDP growth rate in comparison to 2000 was decisively faster than the greenhouse gas emission rate. It was a positive phenomenon, because it indicated a limited correlation between economic growth measured by GDP and pressure on the environment caused by greenhouse gas emissions (chart 16).

Chart 16. Indices of greenhouse gas emissions and GDP



Source: data regarding greenhouse gas emissions – the National Centre for Emissions Management (access date 21 September 2020).

In 2018, the largest share of greenhouse gas emission in Poland had carbon dioxide (81.8% of total emission), followed by methane (11.8%), nitrous oxide (5.4%) and fluorinated gases (1.0%).

In accordance with the classification prepared by Intergovernmental Panel on Climate Change (IPCC), in 2018 the sector most responsible for greenhouse gas emission was the energy one (82.9% of total emission) and in a smaller scope – agriculture (8.0%), industrial processes and product use (6.0%) followed by waste management (3.1%). Carbon dioxide emission, as the dominant greenhouse gas, was mainly affected by energy sector (93.7%), industrial processes and product use (5.8%).

In 2007, the European Commission presented the so-called 2020 climate and energy package, which, among others, diversifies greenhouse gas emission reduction targets in 2020 in relation to emission levels in 2005 for sectors in and not in the European Union Emissions Trading System. For sectors not covered by the ETS, the so-called non-ETS sectors⁷, for Poland there was a proposal of a 14% increase in the greenhouse gas emissions in 2020 in comparison to 2005 (the EU average – a 10% reduction). According to Eurostat data, in 2018, the total greenhouse gas emissions expressed in CO₂ equivalent in non-ETS sectors in Poland were 218.0 million tonnes, which is a 21.1% increase in comparison to 2005.

⁷ Non-ETS emissions include the following sectors: transport, agriculture, waste, industrial emissions outside the EU ETS and the municipal and housing sector with buildings, small sources, households, services, etc.

Chapter 4

Environmental quality of life


4.1. Gaseous air pollutants

Tropospheric ozone (ground-level O₃) is secondary pollution, released in the ground level of the atmosphere as a result of photochemical transformations (upon exposure to solar radiation) in the air polluted with the so-called ozone precursor substances: nitrogen oxides, carbon oxides (CO), methane (CH₄), non-methane volatile organic compounds (NMVOCs). Ozone concentration level is also affected by such weather conditions as: high air temperature, high insolation and a lack of precipitation.

Air pollution is one of the main causes of threat to environment. It affects all these: the environment, health condition and quality of life of population. It cannot be restricted by area, so that it can contaminate vast distance areas. One of the most important negative results of air pollution in Poland is the increase in tropospheric ozone concentration in the ground layer of the atmosphere (ground-level O_3), especially in a summer season.

Due to health protection, the target value determined for ozone amounts to $120 \,\mu\text{g/m}^3$ and is calculated on the basis of maximum daily 8-hour mean of ozone concentration from all monitoring sites. 25 days exceeding the target value within a calendar year are allowed. In 2019, the average number of days with the exceeded target value calculated on the basis of measurements taken at all sites that were used to assess ozone air pollution amounted to 13 and was lower than one noted in 2018 (chart 17). The years with the highest number of days exceeding the limit were $2003 - 32 \, \text{days}$, $2006 - 31 \, \text{days}$ and $2015 - 24 \, \text{days}$. In the period $2007-2014 \, \text{this}$ indicator did not exceed 20 days and in the years $2016-2017 - 10 \, \text{days}$.

Chart 17. Average number of days with exceeded value of 120 µg/m³ by 8-hour ozone concentration by type of monitoring site^a



a Data from full data series from monitoring sites obtained under the State Environmental Monitoring. Source: own elaboration on the basis of data of the Chief Inspectorate of Environmental Protection.

The exposure of city residents to ozone can also be assessed on the basis of SOMO35 indicator. It presents the yearly sum of means of daily 8-hour O₃ concentrations over 70 µg/m³. The accepted value of this indicator is not stated, however, the higher the level, the higher the threat to human health. In 2019 this indicator equalled 4002 µg/m³ and it was one of the higher ones since 2004 (chart 18).

μg/m³ 5000 4000 3000 2000 1000

Chart 18. Urban population^a exposure to air pollution by ozone (SOMO35)

2006 a In agglomerations over 250 thousand inhabitants.

2007

2008

2009

2005

Source: data of the Chief Inspectorate of Environmental Protection obtained under the State Environmental Monitoring.

Exposure of humans (especially children, the elderly, and people spending much time outdoors) to high concentrations of tropospheric ozone causes numerous negative health conditions. It can lead to eye irritation, increased susceptibility to infections, reduced lung capacity, deterioration of asthma and other lung disorders, moreover to premature mortality. The European Environment Agency estimated (on the basis of SOMO35 indicator) that air pollution with ozone caused 1.5 thousand premature deaths in Poland in 2018. Among European Union countries (EU=28), the worst situation in this respect occurred in Germany (4.0 thousand) and Italy (3.0 thousand), while the best in Luxembourg and Malta (0.0 thousand each).

2010 2011 2012 2013 2014 2015 2016 2017 2018 2019


4.2. Particulate air pollutants

Particulate matter is air pollution that is a mixture of fine solid and liquid particles, consisting of both organic and inorganic compounds. The surface of particulate matter is a carrier of chemical compounds toxic to human health, such as heavy metals (arsenic, nickel, cadmium, lead) and polycyclic aromatic hydrocarbons (e.g. benzo(a)pyrene).

A serious problem connected with air quality in Poland is exceeded norms for particulate matter, especially in a winter season, which mainly influences comfort of living of population of inner-city areas of big cities and agglomerations. Particulate matters come from direct emission (primary particles) or as a result of reaction between substances in the atmosphere (secondary particles). Secondary particle precursors are mainly sulphur dioxide, nitrogen oxides, non-methane volatile organic compounds and ammonia. Particulate matter contains the fraction of grains below 10 micrometres (PM₁₀), including the fraction below the diameter of 2.5 micrometres (PM_{2.5}). The PM composition largely depends on where it comes from, the season of the year and weather conditions.

In 2018, PM₁₀ emission amounted to 242.8 thousand tonnes and was at the same level as in the previous year but dropped by 8.2% since 2000. In the case of PM_{2.5}, its emission equalled 136.7 thousand tonnes and decreased compared to 2017 and 2000 by 0.8% and 8.8% respectively. Per capita in 2018, the emission of PM_{10} was 6.3 kg, of which $PM_{2.5}$ – 3.6 kg and the figures for these were lower in relation to the ones noted in 2000 (chart 19).

Chart 19. Emissions of PM₁₀ and PM_{2.5} per capita



Source: data concerning particulate matter emission – the Institute of Environmental Protection – National Research Institute, the National Centre for Emissions Management.

In the European Union countries (EU=28), on the basis of the European Monitoring and Evaluation Programme (EMEP) data, the indicator in 2018 was 3.9 kg for PM_{10} and 2.4 kg for $PM_{2.5}$ respectively. The highest PM_{10} emissions, including $PM_{2.5}$ per capita, were recorded in Latvia (14.3 kg and 10.6 kg respectively) and Croatia (9.2 kg and 7.0 kg), while the lowest ones in Malta (1.1 kg and 0.7 kg) and the Netherlands (1.3 kg and 0.7 kg).

In 2018, in Poland the highest direct emission of PM_{10} was caused (according to the Nomenclature for Reporting) by fuel combustion processes, which were responsible for 67.3% of the national PM_{10} emissions. Among these processes, the emissions from "other sectors" category (i.e. from institutions, trade, services, households, fuel combustion in agriculture, forestry and fishing) were dominant – their share in the national PM_{10} emissions amounted to 44.2%. Emissions of this particulate matter came mainly from heating of buildings with hard coal and wood by households. In 2018, other significant sources of PM_{10} emissions were industrial processes and product use, which generated 14.1% of total emissions of particulate matter of this kind, as well as agriculture sector (12.1%).

 $PM_{2.5}$ particulates (just like PM_{10}) were mostly emitted during fuel combustion processes, which accounted for 85.1% of their total emission. Within this combustion processes the biggest share was in "other sectors" category (52.1% of the total $PM_{2.5}$ emission), manufacturing industries and construction came next with 17.3%, followed by transport with its 10.0% share.

The indicator of population exposure to PM_{10} reflects the population exposure to air pollution by PM_{10} , and its permissible level for the mean annual concentration is 40 μ g/m³. According to Eurostat, in 2018, the indicator measured at urban background monitoring sites in Poland was 33.2 μ g/m³ and was one of the lower ones since 2000. However, it significantly exceeded the European average of 21.6 μ g/m³. Among European Union countries (EU=28), higher value than in Poland was noted only in Bulgaria and Croatia (33.8 μ g/m³ each), while the lowest in Finland (11.5 μ g/m³) and Sweden (13.1 μ g/m³).

The national PM_{2.5} average exposure indicator is determined on the basis of measurements obtained under the State Environmental Monitoring in urban background areas for cities over 100 thousand inhabitants and agglomerations. It reflects the population exposure to air pollution by PM_{2.5} and is calculated as

the arithmetic mean of the average annual PM_{2.5} concentrations from three years. In 2019, the indicator amounted to 21 μ g/m³ (chart 20), which means that it exceeded the exposure concentration obligation of 20 μ g/m³ in force since 2015 and the national exposure reduction target (18 μ g/m³) planned to be achieved until 2020.




Chart 20. Urban population exposure to air pollution by PM_{2.5}

Source: data of the Chief Inspectorate of Environmental Protection obtained under the State Environmental Monitoring.

According to Eurostat, in 2018 Poland (with PM_{2.5} average exposure indicator at the level of 24.3 μ g/m³) was the EU leader (EU=28) in terms of urban population exposure to PM_{2.5} concentration. The indicator significantly exceeded the average for the European Union (13.8 μ g/m³). The least exposed to air pollution by PM_{2.5} was the urban population of Sweden and Estonia (6.2 μ g/m³ each) and Finland (6.4 μ g/m³).

Atmospheric pollution most harmful for human health is $PM_{2.5}$. Grains of such minute size can reach upper airways, lungs and enter blood, and as a result of a longer exposure to high concentration, they can have considerable influence on the course of heart diseases (hypertension, heart attack) or on the increase of the risk of contracting cancer diseases, especially the lung one. The European Environment Agency estimated that in 2018 $PM_{2.5}$ exposure led to 46.3 thousand premature deaths in Poland. Among European Union countries, higher values were recorded only in Germany (63.1 thousand) and Italy (52.3 thousand). The least premature deaths due to this reason occurred in Luxembourg and Malta (0.2 thousand each).

4.3. Noise1

Noise is defined as every sound that causes nuisance, is undesirable or harmful to human health, caused by means of transport in road, rail, and air traffic as well as coming from an economic activity area.

Noise is one of the main environmental factors affecting the quality of life and comfort of living. The problem of excessive noise in environment, especially the urban one, is increasing and leading to human fatigue, stress, cardiovascular diseases, the weakening of both the immune system and the autonomic nervous system.


¹ Data on road traffic and railway noise from the Chief Inspectorate of Environmental Protection obtained under the State Environmental Monitoring for the year 2017 have been updated in relation to the previous edition of this publication.

Reducing noise in environment is a long-term process. Limitation of noise to the permissible levels is one of the greatest challenges that Poland is facing.

Road traffic noise

Road traffic noise is a nuisance for residents, especially in urban areas. As a result of rapidly developing transport infrastructure, and the road network and the growth in the number of vehicles used in particular, in 2017, 43.5% of population of cities² over 100 thousand inhabitants was exposed to exceeding noise over 55 dB in the day-evening-night time (L_{DEN} indicator) (chart 21). In the night-time (L_N indicator) the situation was a bit better, although still unsatisfactory as 26.3% of city population was exposed to the noise exceeding 50 dB. In comparison to 2012, the situation improved, as both in day-evening-night time and in night time, the percentage of people exposed to excessive noise decreased by 10.0 pp and 10.3 pp respectively.

Chart 21. Percentage of population exposed to road traffic noise in agglomerations over 100 thousand inhabitants



Source: data of the Chief Inspectorate of Environmental Protection obtained under the State Environmental Monitoring based on acoustic maps.

Monitoring of road traffic noise in agglomerations carried out in 2017 proves that the highest percentage of population was exposed to noise exceeding the norm by up to 5 dB in day-evening-night time – 19.2% and in night time – 14.7% (chart 22). In relation to 2012, this percentage decreased by 1.2 pp in day-evening-night time and by 2.8 pp in night time.

² The study based on acoustic maps in 2012 and 2017 covered respectively 35 and 38 agglomerations out of 39 ones with over 100 thousand inhabitants.




Chart 22. Percentage of population exposed to road traffic noise in agglomerations in particular classes of noise levels in 2017

Source: data of the Chief Inspectorate of Environmental Protection obtained under the State Environmental Monitoring based on acoustic maps.

Railway noise

Railway noise, one of the most common type of traffic noise after road traffic noise, is the most troublesome for city inhabitants.

Based on data from acoustic maps obtained in 2017, 231.4 thousand population in the area of 38 agglomerations over 100 thousand inhabitants was exposed to excessive noise above 55 dB in day-evening-night time and in night time – 143.7 thousand. They constituted 2.2% and 1.4% of total population of the analyzed cities respectively. In relation to 2012 (this percentage was at the level of 4.0% and 3.1%) the situation improved, which may be the result of railway lines and rolling stock modernization.

Aviation noise

Aviation noise concerns a relatively small number of population of Poland, residing in the zones located near airports, yet, it seems to be causing most disturbance.

Aviation noise pollution identified on acoustic maps concerned 6 agglomerations with an airport located within their boundaries. The number of population exposed to this type of noise was significantly dependant on the part of the day. In day-evening-night time 52.1 thousand population suffered noise exceeding 55dB whereas in night-time – 5.9 thousand population (the noise over 50 dB). A comparison of these data and data from 2012 shows an improvement in day-evening-night time because the number of population exposed to aviation noise decreased by 14.7%. The situation reversed in the case of noise pollution in night-time as the number of population exposed to this kind of noise increased by 40.5%.

Industrial noise

Industrial noise measurement is performed mainly as a response to residents' complaints about activity causing disturbance, mainly by the entertainment, recreation and sports, service and industry sectors carried out by both small district businesses as well as medium and large plants.

According to the data of the Chief Inspectorate of Environmental Protection obtained under the State Environmental Monitoring based on acoustic maps in 2017, 21.6 thousand population noted industrial noise exceeding 55dB in day-evening-night time in 38 agglomerations in Poland. In night-time the noise above 50 dB caused disturbance to 9.5 thousand of population, which is a relatively small percentage of the total population of the analysed agglomerations (0.2% and 0.1% respectively).

In the case of entities exceeding industrial noise limits, in the years 1993–2019, positive trends were noted in terms of the share of these entities in total number of inspected companies (chart 23). In given periods of noise monitoring, when the assessment of acoustic climate changes takes place, a significant fall in this percentage was noted (from 60.2% within the years 1993–1996 to 23.0% in the period from 2017 to 2019), in day-time in particular (similarly – from 47.0% to 11.1%). In night-time, the percentage of units exceeding the permissible sound levels decreased from 22.4% to 13.9%. It is worth noting, however, that years 2017–2019 comprise only three years of a new 5-year monitoring period (2017–2021) and only an analysis of a set of data for the entire period will make it possible to assess the trends.




Chart 23. Share of entities exceeding industrial noise limits in total number of inspected companies^a

a Included in the central register of acoustic climate control of the Institute of Environmental Protection.

Source: data of the Chief Inspectorate of Environmental Protection obtained under the State Environmental Monitoring.

Data from the European Union Statistics on Income and Living Conditions (EU-SILC) may provide complementary information on noise. This survey specifies, among others, the percentage of households experiencing subjectively, in relation to their place of residence, excessive noise in their flats, coming from neighbours or from the street (caused by road traffic, industrial plants or economic activity).

The results of this survey show that in Poland the percentage of households affected by excessive noise is diminishing year by year (from 21.4% in 2005 to 12.6% in 2019), which can be indicative of the fact that population is getting used to surrounding noise or the noise is effectively eliminated. It is noteworthy that households with dependent children experience noise in a lesser degree than households without dependent children – the former – 21.0% in relation to the latter – 22.1% in 2005 and the former – 11.4% in relation to the latter – 14.1% in 2019.

According to Eurostat estimates, in 2019, in European Union countries (EU=28) 17.5% of households affected excessive noise. The lowest, most favorable value of the indicator was recorded in Estonia and Croatia (8.2% each), Bulgaria (8.9%) and Hungary (9.7%). In contrast, the highest percentage of analyzed households occurred in Malta (28.3%), the Netherlands (26.6%) and Germany (26.1%). In relation to the EU average, the indicator for Poland was by 4.9 pp lower.

4.4. Access to drinking water

Population using water supply network concerns the estimated number of population inhabiting residential buildings and collective accommodation facilities connected to water supply network as well as population using water supply systems via street and yard outlets (devices installed to street water supply conduits).

Water, as one of the main constituents of natural environment, plays an economic, environmental and social role. Universal access to water from water supply network is one of the basic human needs and greatly influences health and quality of living.

Basic measurement of the state of greening the economy in terms of water economy is the indicator concerning population using water supply network.

In 2019, 92.2% of population used water supply network, which is an increase in relation to 2018 and 2002 by 0.1 pp and 7.4 pp respectively (chart 24).

% 100,0 90,0 80,0 70,0 60,0 40,0 30,0 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 Total Urban areas Rural areas

Chart 24. Percentage of population using water supply network

In the period of 2002–2019 a positive trend in using the water infrastructure was noted, especially in rural areas. In 2002, water supply network was used by 94.2% of urban population and only 69.7% of rural population. In 2019, the indicator in mind equalled 96.6% and 85.5% respectively, so the disparity between the city and the country was greatly reduced.

From the point of view of the living conditions of population, not only does access to water play an important role, but also this water quality. Water supplied to population must meet the requirements of drinking water and production purpose standards. Water supply plants have an obligation of constant quality control of delivered water so as to minimize the risk of its polluting. During the years 2002–2019 positive changes were noted in terms of water quality. There was an increase in the percentage of population supplied with water meeting requirements from 89.5% in 2002 to 99.7% in 2019.

In 2017, among European Union countries, according to the WHO/UNICEF Joint Monitoring Programme for Water Supply, Sanitation and Hygiene data, the lowest percentage of the population using safely managed drinking water services was recorded in Romania (81.9%), Hungary (89.6%) and Croatia (90.0%). The best situation in this regard occurred in Greece, the Netherlands, Great Britain and Malta, where the discussed indicator was at the level of 100%. Based on WHO/UNICEF estimates, 99.2% of the population in Poland used safely managed drinking water services.

4.5. Municipal sewage treatment


Population using sewage network concerns the estimated number of population inhabiting residential buildings and collective accommodation facilities connected to sewage network as well as population using sewage system via sewage inlets.

Sewage treatment plays an environmental, social, and economic role. Sewage produced by population is one of the main sources of environmental pollution. It can affect the quality of drinking and public bath water and additionally contribute to the loss of biodiversity. Insufficient access to sanitary installations can influence health and well-being of population. One of the challenges connected with environmental protection is ensuring sufficient public availability of sewage treatment.

To evaluate the level of greening the economy in terms of sewage management, one can use, among others, data concerning the percentage of population using sewage network.

In the period 2002–2019 the percentage of population using sewage network (chart 25) grew constantly. In 2019, 71.2% of population used this form of sewage disposal and in comparison to 2002, the share increased by 14.5 pp. Greater changes were noted in rural rather than urban areas. In 2019, this indicator in the cities amounted to 90.5% and was by 7.4 pp higher than in 2002. In rural areas the percentage of population using sewage network almost threefold over the years, from 14.2% in 2002 to 42.2% in 2019.

Chart 25. Percentage of population using sewage network



In case of a lack of possibility of connecting sanitation to a residential building, e.g. in dispersed housing areas, there are other solutions to be used. Population can use cesspools (i.e. collect wastewater in leak-proof septic tanks) or wastewater treatment facilities (so as to treat waste on their own). Using the second of these solutions enables the environmentally friendly neutralisation of harmful waste at the place of its production and offers greater comfort for the user as it does not require so many operational activities as in the case of cesspools. It is worth noting that the number of wastewater treatment facilities increased from 51.9 thousand pieces in 2008 to 279.1 thousand pieces in 2019. This number calculated per 1000 population not using sewage network grew over 7 times (from 3.49 in 2008 to 25.21 in 2019).

Based on the data from the WHO/UNICEF Joint Monitoring Programme for Water Supply, Sanitation and Hygiene, in 2017 among the EU countries the lowest percentage of the population using safely managed sanitation services occurred in Croatia (58.5%) and Bulgaria (64.4%), while the highest in Finland (99.2%) and Great Britain (97.8%). According to WHO / UNICEF estimates, Poland was 15th among 28 EU countries with a ratio of 93.3%.


4.6. Green areas

Green areas in cities mean gmina forests within cities as well as green areas including technical infrastructure and adjacent auxiliary buildings, covered with plants, which fulfil aesthetic, recreational, therapeutic or shelter functions and in particular: strolling-recreational parks, lawns, green areas near municipal communication infrastructure, green areas of the housing estate, cemeteries as well as other ones.

Green areas have a positive and long-term influence on health and the quality of living of population. A problem with access to these areas affects mainly city residents, whose quality of living and health state is greatly dependent on the quality of urban environment. They are exposed to increased air pollution emission connected with car transport intensification and accumulation of economic activity in urban areas.

Green areas in cities, in this context, play an important role, as they provide many environmental, social and economic benefits, fulfilling, among others, protective, health, recreational or aesthetic functions. These areas improve the local quality of air by absorbing CO_2 and releasing oxygen to the atmosphere, affect inhabitants' general well-being in a positive way, reduce stress and annoyance caused by noise, are a place of recreation and contribute to the creation of job places.

Chart 26. Green areas in cities^a



 $a \ Since \ 2004 \ together \ with \ other \ area, \ which \ includes, \ i.a. \ plants \ in \ airports, \ railway \ and \ industrial \ zones, \ and \ since \ 2005 - cemeteries.$

In 2019, green areas in cities amounted to 107.9 thousand hectares. It means there were 46.8 m² of green areas per capita (chart 26), i.e. by 10.2 m² more than in 2000. The increase resulted mainly from enhancing lawns and green areas near municipal communication infrastructure as well as from the inclusion of cemeteries into green areas since 2005. In 2019, the share of urban green area in the total city area equalled 4.9% and was by 0.8 pp higher than in 2000.

Chapter 5

Economic opportunities and policy responses


5.1. Organic farms

Organic farm is an agricultural holding, which has a certificate granted to it by a certification body or which is under conversion to organic methods of agricultural production under control of a certification body.

Organic farming is environmentally friendly sustainable agricultural output. Due to controlled production methods and producing crops without synthetic fertilizers and chemical plant protection products it exerts a positive effect on natural environment – it helps to maintain biodiversity and to protect natural resources. It is also a response to consumers' demand of high-quality food produced in an organic farm system in accordance with ecological production methods.

In the years 2000–2019, in Poland the biggest number of organic farms (26.6 thousand) operated in 2013 on 670.0 thousand hectares of agricultural land (chart 27). Since 2014 number of farms has been systematically declining (except for 2016). In 2019, there were 18.6 thousand organic farms, which covered 507.6 thousand hectares of agricultural land, i.e. 3.5% of total agricultural land. Their number decreased in relation to the previous year by 3.0%, while the agricultural land area went up by 4.7%. The average size of organic farm amounted to 27.2 hectares and was the highest since 2000.

Chart 27. Organic farms and organic agricultural land



Source: data regarding number of organic farms and organic agricultural land – Agricultural and Food Quality Inspection (IJHARS).

According to Eurostat database, in 2018, among European Union countries the largest number of organic farms was located in Italy (69.3 thousand) and the smallest – in Malta (0.0 thousand). Agricultural land on which organic production was conducted constituted 7.5% of total agricultural land in the European Union. Among EU countries, the highest percentage of organic agricultural land was recorded in Austria (24.1%) and the lowest in Malta (0.4%).

The organic farming development may have been affected by, among others, aid granted to farmers since 2004 from the Rural Development Programme (RDP 2004–2006, RDP 2007–2013 and RDP 2014–2020),

financed by the European Agricultural Fund for Rural Development and co-financed by the national budget, aiming at stimulating market organic output.

According to the data of the Agency for Restructuring and Modernisation of Agriculture, in 2019, the amount of payment for farms carrying out organic farming was 333.3 million PLN (as of 18 October 2020). It increased in relation to the previous year by 14.6% and almost 9.5 times in comparison with 2004, when RDP 2004–2006 came into operation. Its share in the total amount of subsidies for farms (realising an agrienvironmental programme under RDP 2007–2013 as well as agri-environment-climate actions and organic farming under RDP 2014–2020) equalled 28.8% and was by 0.1 pp higher in relation to 2018. In the years 2004–2019, the largest amounts for organic farming were implemented in 2012 – 418.6 million PLN.

5.2. Outlays on environmental protection

Outlays on environmental protection is the sum of outlays on fixed assets for environmental protection and current costs borne by public and economic sectors as well as by households.

The intensification of natural resource exploitation by a man, connected with progressive urbanization, growing consumption, industrial and agricultural production, and transport development lead to resource depletion and to environment deterioration. Making use of environment and its resources requires incurring outlays, whose fundamental objective is to reduce the negative impact of humans on environment. From the point of view of green economy, monitoring outlays on fixed assets (investment outlays), which constitute a financial base for environmental protection, is very important.

In 2019, outlays on fixed assets for environmental protection amounted to 12.4 billion PLN, which is an increase in relation to 2018 and 2000 by 19.5% and 89.0% respectively. In 2019, their share in relation to GDP equalled 0.5% (chart 28).




Chart 28. Outlays on fixed assets for environmental protection

In 2019, the share of outlays on fixed assets for environmental protection in investment outlays of national economy reached 3.9% and it increased by 0.5 pp compared to the previous year, however it decreased by 1.0 pp in relation to 2000.

In 2019, economic entity own funds were prevailing in the financing structure and amounted to 52.9% of the total outlays on fixed assets for environmental protection, the next financing sources were, among others, funds from abroad – 19.5%, ecological funds – 11.5%, domestic credits and loans – 10.8%. The

majority of financial means were allocated to wastewater management and protection of water (48.7%), protection of air and climate (32.9%) as well as waste management (6.7%).

Households also incur expenditures on environmental protection. They are not subsidised and as a whole constitute a burden on a household budget. In 2019, the expenditures amounted to 49.5 billion PLN (current prices). Per capita they equalled 1289 PLN and were higher than in 2018 and 2000 by 3.1% and over 3 times respectively.

According to Eurostat estimates, in 2017, national expenditures on environmental protection in European Union countries (EU=28) amounted to 294.0 billion euro. In relation to GDP they accounted for 1.9%. Among EU countries, for which data are available, the highest share of this type of expenditure in GDP occurred in Belgium and Austria (3.2% each), and the lowest one – in Luxembourg (1.0%). In Poland, this share equalled 1.9%.

5.3. Environmental taxes


Environmental tax is a tax whose tax base is a physical unit (or a proxy of it) of something that has a proven, specific negative impact on the environment, and which is identified in ESA 2010 as a tax.

Taxes related to environment (environmental taxes) are a basic economic instrument of environmental protection policy. Apart from their fiscal function ensuring tax revenue, they are to stimulate legal persons and society to undertake specified activities to reduce excessive pressure on the environment. According to Eurostat methodology, environmental taxes distinguish four different categories of taxes in division by type, i.e. energy, transport, pollution and resources.

In 2018, revenues from environmental taxes amounted to 57.5 billion PLN and constituted 7.5% of the total revenue from taxes and social contributions (chart 29). They were lower in relation to the previous year (by 0.2 pp), but higher than in the year 2000 (by 1.2 pp). In the analyzed year, the ratio of environmental taxes to GDP was 2.7% and did not change compared to the previous year, but increased in relation to 2000 (by 0.5 pp).

Among environmental taxes, the major fiscal impact exerted energy taxes, which contributed 87.3% of revenue from environmental taxes, and transport taxes – 8.5% of the revenue.

Chart 29. Environmental taxes



Source: Eurostat database (access date 2 November 2020).

According to Eurostat data, in 2018, in European Union countries (EU=28) total amount of environmental taxes amounted to 381.4 billion euro. Their share in total revenues from taxes and social contributions amounted to 6.0%, and in relation to GDP - 2.4%. In the structure of taxes by type, energy taxes dominated, representing 77.2% of total environmental taxes, followed by transport taxes (19.7%).

The leading countries of the EU with the highest share of environmental taxes in total revenues from taxes and social contribution were Latvia (10.8%) and Bulgaria (9.8%). The lowest share was noted in Luxembourg (4.2%) and Germany (4.3%). In relation to GDP the highest share of these taxes was recorded in Greece (3.7%) as well as in Denmark and Croatia (3.6% each), while the lowest in Ireland (1.6%). Poland (with Estonia and Belgium) was 11th among EU countries in this respect. In all Member States, energy taxes prevailed among environmental taxes – the highest their percentage was in Czechia (93.6%) and Romania (93.2%), and the lowest in Malta (50.3%) and Denmark (53.9%).

5.4. Research and development (R&D) activity

Research and development activity (R&D) comprise creative work undertaken on a systematic basis in order to increase the stock of knowledge, including knowledge of man, culture and society, and the use of this stock of knowledge to devise new applications.

Expenditures on R&D activity comprise all expenditures for R&D performed within statistical unit or sector of the economy during a specific period, whatever the source of funds. They include current expenditures and capital expenditures on fixed assets connected with R&D activity, excluding depreciation of fixed assets.

Research and development activity (R&D) plays an important role not only in economic growth but also in the greening economy process, because, apart from driving innovation and economy competitiveness forward, it can encourage, among others, activities aiming at improving efficiency of resource use in economy or reducing a negative impact of human activity on environment.

In 2019, gross domestic expenditures on R&D activity amounted to 30.3 billion PLN and increased by 18.1% in relation to 2018 and more than 6 times compared to 2000.

Entities in R&D are grouped in four sectors of performance, i.e. business enterprise, government, higher education and private non-profit. In 2019, business enterprise sector allocated the majority of funds on R&D – 62.8% of total expenditure in this category, whereas the share of higher education sector was 35.6%.

In 2019, as in previous years, the main sectors funding R&D activity were the business enterprise sector and the government sector, whose funds accounted for 50.7% and 38.8% of the total internal expenditure on R&D respectively.

Research and development intensity, measured by the percentage ratio of research and development expenditure to GDP, is relatively low in Poland, but it shows a growing trend (chart 30). In the years 2000–2019, the minimum value of the indicator was recorded in 2003 (0.54%), while the maximum in 2019 (1.32%).

According to Eurostat data, in 2018, research and development intensity in 28 EU countries amounted to 2.11%, and among individual Member States ranged from 0.50% in Romania to 3.32% in Sweden. Poland, together with Luxembourg took 17 position among EU countries.




Chart 30. Research and development (R&D) expenditure^a

a Intramural, excluding depreciation of fixed assets.

While analysing R&B expenditure per capita, since 2003 a growing tendency has been noted in Poland (except for 2016). In 2019, it amounted to 789 PLN, i.e. by 18.2% more than in the previous year and more than 6 times in comparison to 2000.

According to Eurostat data, in 2018, gross domestic expenditure in research and development activity (GERD) per capita in the European Union (EU=28) was 656.7 euro. The highest expenditure of this type per capita was recorded in Denmark (1580.9 euro) and Sweden (1544.6 euro), while the lowest in Romania (52.5 euro) and Bulgaria (60.1 euro). Poland, with index value of 158.5 euro, took 20th place among 28 member countries.

Activity to protect components of environment so as to restore or maintain environmental sustainability require financial means. In 2019, within expenditures on fixed assets for environmental protection it was spent as much as 3.8 million PLN on research and development activity in Poland. They were lower than in the previous year and 2000 by 51.8% and 62.4% respectively.

5.5. Inventions and patents

Patentable invention is a new solution of a technical problem which involves an inventive step (i.e. it is not directly derived from the state-of-the-art – it is not obvious) and is indus-trially applicable. **Patent** is the exclusive right granted for inventions by a competent international body (e.g. the European Patent Office) or a national authority (in Poland – by the Patent Office of the Republic of Poland).

Patent applications and grants are classified according to the International Patent Classification. They are presented also by fields of technology based on WIPO IPC-Technology Concordance Table, on the basis of which environment-related technologies comprise such fields that are within the scope of, among others, air and water pollution abatement, waste management, soil remediation, environmental monitoring, renewable energy generation, capture, storage, sequestration or disposal of greenhouse gases, climate change mitigation technologies related to transportation, buildings.

Inventions in environment-related technologies play an important role in green economy, being a significant green growth factor. They contribute to the use of natural resources in an efficient way, reduction of negative influence of production and services on environment, and they can also lead to the creation

of new products, job places, technology innovations, and as a result of these, to the increase in the economy competitiveness. Patents, however, constitute a basis for efficient knowledge management in technology and support development potential of innovative economy.

In 2017, according to OECD database, Polish residents filed 43 patent applications within the field of environment-related technologies to the European Patent Office (EPO) (chart 31). Since 2000, the best result achieved by Poland was in 2015 and it amounted to 73 patent files. The percentage of patent applications in environment-related technologies in comparison to the total patent applications filed by Polish residents in 2017 comprised 7.6% and was lower by 2.4 pp than in the previous year, but by 2.7 pp higher than in the year 2000.




Chart 31. Patent applications and grants in environment-related technologies^a – the European Patent Office

a The indicator is based on fractional counting to eliminate multiple counting of patent applications / grants with several inventors from different countries (e.g. a patent application submitted by two authors, one of whom is a Polish resident, is counted in the data as 0,5). Data on inventions are presented according to the application date of the invention to the EPO, and in the case of patents – according to the date of grant of the patent at the EPO.

Source: data of the European Patent Office / OECD Statistics (access date 6 November 2020).

In 2017, residents of EU countries (EU=28) filed 5.1 thousand patent applications within the field of environment-related technologies to the European Patent Office, which accounted for 8.6% of the total number of inventions. The most active countries in this respect were Germany, with 1957 inventions of this type, i.e. 38.6% of total patent applications reported within the field of environment-related technologies in the European Union, France – 783 (15.4%) and Great Britain – 514 (10.1%). Poland, with a share of 0.8% of total number of patent applications within the field of environment-related technologies in the EU, came 12th among EU countries.


In 2019, the European Patent Office granted 39 patents in environment-related technologies to Polish residents, i.e. it was the highest score from 2000. These patents constituted 10.7% of total number of patents granted to Polish residents. In relation to the previous year and 2000, their share increased by 0.6 pp and 1.1 pp respectively.

In 2019, in the European Union (EU=28) EPO granted 6.0 thousand patents in environment-related technologies, which accounted for 10.6% of total number of patents. Most of them were granted to Germany – 2286, i.e. 38.3% of all patents granted in environment-related technologies in the European Union as well as to France – 1000 (16.8%). Poland, with a share of 0.7% of total number of patents in environment-related technologies in the EU, achieved 12th position among the EU Member States.

From the perspective of the development of Polish green economy, patent applications filed to the Patent Office of the Republic of Poland and patents granted by this authority seem equally important (chart 32).

In 2019, the total number of patent applications in environmental technologies submitted to the Patent Office of the Republic of Poland equalled 158, which constituted 4.0% of total patent applications. It is a decrease in relation to the previous year and to the year 2000 by 25.1% and 31.3% respectively. From 2000 to 2019 the highest number of this type of inventions was noted in 2012 – 264 (5.7% of total patent applications). The greatest number was submitted by domestic entities – 253.

Chart 32. Patent applications and grants in environmental technologies – the Patent Office of the Republic of Poland



Source: data of the Patent Office of the Republic of Poland (according to the database as of 27 October 2020).

The Patent Office of the Republic of Poland, in 2019, granted 161 environmental technology patents, of which 159 ones to domestic entities. Their share in total patent number constituted 5.3%, and it was the highest score since 2000. Compared to the previous year and 2000, their number increased by 11.0% and 69.5%.

5.6. Eco-innovation

Eco-innovation is a new or significantly improved product (goods or service), process, organizational or marketing method, which brings benefits to the environment.


Eco-innovations help to improve efficiency of resource use in economy and to reduce the negative impact of human activity on environment. Apart from the ecological aspect, there is also an important economic aspect – eco-innovation application helps to reduce operating expenses, to use new development possibilities, to create a positive image of an entity, and, as a result of these, to increase competitiveness of the entity.

So as to make it possible to compare various aspects of eco-innovation, the eco-innovation index, the so-called the Eco-Innovation Scoreboard, was established, on the basis of 16 indicators grouped according to 5 thematic fields. It comprehensively compares eco-innovation results achieved by individual EU-28 countries with the EU average (EU-28=100).

According to the ranking presented in the chart, Poland is one of the countries with the lowest eco-innovation index among the EU Member States (chart 33). In 2019, it came in 24th position (with a score of 59) in the eco-innovation ranking. Together with Bulgaria, Hungary, Cyprus, Romania, Slovakia, Croatia, Malta,

Estonia, Greece and Latvia, it was classified to the group of "countries catching up in eco-innovation", achieving results below 85% of the EU average.


Chart 33. Eco-innovation index for the EU-28 Member States in 2019



Source: data of the European Commission – https://ec.europa.eu/environment/ecoap/indicators/index_en (access date 19 October 2020).

While analysing the results in the individual indicator groups that are generated for Poland (chart 34), it can be stated that, in 2019, the relatively strongest point of Polish eco-innovation on the background of EU countries was socio-economic outcomes, being the result of introducing eco-innovations (13th position with a score of 94). In the case of four remaining areas, i.e. within achieved eco-innovation outputs – Poland was ranked 18th (with a score of 70), within eco-innovation inputs – 22nd (with a score of 45), within resource efficiency outcomes – 26th (with a score of 32), whereas within eco-innovation activities – 25th (with a score of 60).

Chart 34. Poland on the background of the EU-28 Member States and country with the highest eco-innovation index in 5 thematic areas in 2019



Source: data of the European Commission – https://ec.europa.eu/environment/ecoap/indicators/index_en (access date 19 October 2020).

The unfavourable position of Poland in this ranking can be a result of many factors, among others, financial barriers encountered by entrepreneurs and consumers, together with their insufficient awareness of the benefits coming from introducing eco-innovations, insufficient government inputs on R&D, including the environmental one.

5.7. Green technology


Green Technology Accelerator (GreenEvo) is an innovative project of the Ministry of Climate and Environment whose aim is both to promote the development of environment protection technology sector offered by Polish entrepreneurs and to transfer green technologies within Poland and abroad.

The main aim of the Accelerator is to create conditions to improve environment by encouraging the programme participant activity and by promoting environmental technologies offered by the project laureates within Poland and abroad. Entities taking part in the Accelerator are given aid catering for their substantial and educational needs, such as participation in free trainings and the possibility for the laureates to present eco-technologies during national and foreign economic endeavours. This programme essence is to spread global technical concepts so as to create conditions to support sustainable development and to build green economy.

Until 2015, entities could apply for funds to cover the costs of these activities within the available instruments supporting export, offered by the former Ministry of Economy and the Polish Agency for the Enterprise Development. Since 2018, the GreenEvo program has been financed by the National Fund for Environmental Protection and Water Management.

In 2018, the Ministry of Environment resumed the implementation of the GreenEvo program—Green Technology Accelerator. The 7th edition of the program was intended only for the laureates of the previous GreenEvo editions and was aimed at using the existing potential of proven technologies of entrepreneurs who, together with the Ministry of Environment, had built the GreenEvo brand. In 2019, 34 participants took part in the competition (launched in 2018) and 33 laureates were selected (chart 35).

Chart 35. Participants and laureates of Green Technology Accelerator



Source: data of the Ministry of Climate and Environment.

In 2020, in the new 8th edition of the GreenEvo program – Green Technology Accelerator, the Ministry of Climate (currently the Ministry of Climate and Environment) prepared the competition to select new environmental technologies from eight areas of green technologies covered by the program, such as: renewable energy sources, environmentally friendly solutions for the mining industry, solutions supporting energy saving, systems supporting monitoring and gathering information on the natural environment, technologies conducive to climate protection, technologies supporting waste management, water and sewage technologies as well as low-emission transport technologies. The competition was aimed at entrepreneurs with new green technologies who had not participated in the program so far. 33 participants joined the program. The jury selected 10 winners of modern solutions with a high potential for foreign growth and a positive environmental effect.

5.8. Eco-Management and Audit Scheme (EMAS)

EMAS – Eco-Management and Audit Scheme is a European Union environmental protection management system integrated with ISO 14001 – the environmental quality management. Organisations that are willing to achieve best results in improving natural environment protection can participate in the scheme voluntarily.


EMAS is an important tool for environmental protection aiming at the constant improvement of environmental activity of an organisation in compliance with the European Union and national laws on environmental protection. It assumes active participation of employers in the process of improving relations between the organisation and the environment, and informing the public about the results of the works carried out by the entities obliged to prepare annual environmental declarations. EMAS can be joined by entities of all economy sectors, i.e., entities and companies carrying out production and service activity, public and self-government administration authorities, as well as non-profit institutions.

Due to the implementation of this system requirements, organisations optimise resource and energy use and confirm that they abide laws within environment protection and minimise the risk of fines for non-compliance with the laws. They also create their own "green image", confirmed with a trustworthy certificate, in Poland issued by the General Director for Environmental Protection.

In the years 2006–2020, the largest number of organisations in the EMAS register in Poland, i.e. 70 was recorded in 2016 (chart 36). As of April 2020, 64 organisations operated in the Eco-Management and Audit Scheme. It was 3.0% less than in April 2019.

In the case of these organisations' sites their peak number during the EMAS operation in Poland was noted in 2020 and equalled 574. It means a growth in comparison with the previous by 56.4%.

Chart 36. Organisations and their sites with Eco-Management and Audit Scheme (EMAS) registration^a As of April



a Data until 2018 – as of 31 December (except for 2017, when the data on number of sites was presented as of April on the basis of data from the EMAS register.

Source: data for the years 2006–2015 – Eurostat database; 2016–2018 – data of the General Directorate for Environmental Protection, since 2019 – the EMAS register https://ec.europa.eu/environment/emas/emas_registrations/statistics_graphs_en.htm (access date 7 November 2020).

As of April 2020, as the EMAS register data show, in European Union countries (EU=28) 3.7 thousand organisations were operating in the Eco-Management and Audit System and 12.5 thousand sites of these organisations. Most organisations of this type were registered in Germany – 1.1 thousand (2.2 thousand sites of these organizations) and Italy – 1.0 thousand (4.9 thousand sites), while in the Netherlands and Latvia such units were not recorded at all. Organisations in the EMAS system in Poland constituted 1.8% of their total number in the EU Member States, and their sites – 4.6% of total number of the sites in the EU.

5.9. Green public procurement

Green public procurement is the one in which public entities include ecological criteria and/or requirements to the purchase process (procedures of conduction public procurement) and aim at solutions that minimize negative impact of products / services on the environment.

Green public procurement is an important instrument to encourage entrepreneurs to produce new, greener products and to deliver services that take into account environmental aspects. It should lead to the purchase of products or services that are environmentally friendly, namely such that exert a smaller negative effect on natural environment than other similar conventional products / services that fulfil the same functions. On the other hand, they can contribute to the financial savings of public entities contracting them, especially when taking into account the costs of products or services throughout the life cycle.


Public procurement sets production and consumption trends. Paying more attention to the environmental criteria in public procurement may support putting into practice the state environmental policy. A significant demand of public authorities on greener products can lead to the creation or to the growth of environmentally friendly product and service market.

Since 2016, data on green public procurement are obtained by the Public Procurement Office from information contained in annual reports on awarded public procurement¹. Until 2015, they were set on the basis of the analysis of public procurement advertisement (a random sample) published in the national official publication – the Polish Public Procurement Bulletin, and in the European Union official publication – the Supplement to the Official Journal of the European Union. Therefore, the data since 2016 are incomparable with the data for previous years and the scope of data presentation was limited to 2016–2019.

According to the data provided by contracting authorities to the Public Procurement Office, in 2019, 1.3 thousand green public procurement, i.e. taking into account environmental aspects, were awarded. Their share in the total number of public procurement was 0.9% (chart 37). Compared to the previous year and 2016, their number increased by 2.0% and 120.2% respectively.

¹ National Action Plan on sustainable public procurement for 2017–2020, Public Procurement Office, Warsaw 2017.

Chart 37. Green public procurement



Source: data of the Public Procurement Office.

The total value of green public procurement (excluding value added tax) amounted to 5.9 billion PLN, i.e. 3.0% of total value of public procurement awarded. It means that despite the increase in the number of green public procurement in relation to the previous year, its value decreased by 36.8%. Compared to 2016, this value increased more than 4.5 times.

Methodological notes

Polish public statistics on the basis of achievements of Organisation for Economic Co-operation and Development (OECD) and other environmental organisations, such as United Nations Environment Programme (UNEP) and European Environment Agency (EEA) has tried to adjust the term of green economy to Polish circumstances. The term **green economy** means such economy that supports economic growth and development while maintaining access to natural capital and ecosystem services, which, in turn, affect human well-being. Green economy, inextricably linked to green growth, cannot replace sustainable development – it has a narrower scope. Green economy is connected with operational targets, which should lead to clearly specified activities within the fields of economy and environment protection to create such conditions that would foster innovations and investments. These latest, then, can lead to the creation of new sources of economic development while making efficient use of environment resources. That is why green economy makes it possible to reach the state of sustainable economy.

The survey on greening the economy concerns mainly the assessment of natural environment state and economy efficiency. The social factor is, however, treated in a narrower sense – solely in this part that directly concerns either environment or economy. It is directly reflected in the proposed set of measurement indicators.

Elements of green economy (environment, economy, and society) are interrelated and these relations have enabled Polish public statistics, just like OECD, to establish 4 areas to monitor green economy state in Poland, i.e.:

- 1) natural asset base comprises indices describing the state of natural environment,
- 2) **environmental and resource productivity of the economy** this group consists of indicators depicting relations between natural environment and economy,
- 3) **environmental quality of life** presenting indices that are to monitor relations between natural environment and society,
- 4) **economic opportunities and policy responses** comprising indicators that characterize instruments affecting economy and society, creating such desired trends in development that aim at greening the economy.

The scheme below presents relations between elements of green economy that have been identified and groups of indicators (figure 1).




Figure 1. Relations between green economy elements and indicator groups

Source: own elaboration on the basis of Towards Green Growth: Monitoring Progress: OECD Indicators, OECD, 2011, page 12.

Natural environment performs three basic functions in green economy:

- productive (supplying) constituting a resource base of renewable resources (e.g. wood) and non-renewable ones (e.g. fossil fuels) for economy and society,
- pollution absorption and landfilling,
- other, which can be divided into services:
 - regulatory, including, i.a., climate regulation, amortization of extreme weather events, regulation
 of water cycles, erosion prevention, monitoring of soil fertility and nutrient cycles, pollination
 and biological control of growing crops, flood prevention activities,
 - cultural, which are not vital for life but improve its quality, i.e. bring non-material benefits, which
 people gain while coming into contact with ecosystems, e.g. aesthetic stimuli, possibilities of recreation and tourism, inspiration for culture, arts, and spiritual experiences,
 - living space for humans, fauna and flora; maintaining biodiversity.

Natural environment is a source of natural resources vital for economy and society, which can be described through a group of natural capital indicators. **Natural capital** comprising natural renewable and non-renewable resource stocks plays a fundamental role in green economy and pressure on making use of it is inevitable. Constant overexploitation of soil may lead to an irreversible loss and then may upset the natural capital balance. Green economy is to provide economic growth with sufficient renewable and non-renewable resources and other ecosystem services, while minimising the negative effect on environment, caused by the acquisition, exploitation, and processing of natural capital. Therefore, it is important to monitor the state and the changes of different kinds of resources, i.a.: mineral, fauna, flora and freshwater ones. A set of indices proposed to monitor natural capital is shown in table 1.

Table 1. Indicators of natural asset base

Topic	Indicator group / name
Biodiversity and ecosystems	Biodiversity Share of legally protected area in total country area
	Farmland Bird Index
	Forest Bird Index
	Share of endangered species in total number of species
	Land use
	Agricultural land designated for non-agricultural purposes and forest land designated for non-forest purposes
	Degree of reclamation and management of devastated and degraded land
Renewable stocks	Forest resources
	Forest cover
	Forest growing stock
	Timber removals
	Share of damaged forest stands area in total forest area
	Freshwater resources
	Indicator of surface waters availability per capita
	Exploitable underground water resources
	Water exploitation index (WEI)
Non-renewable stocks	Mineral resources
	Share of extraction in hard coal resources
	Share of extraction in lignite resources
	Share of extraction in natural gas resources

The production section and its relations with natural environment are a starting point for setting up another group of green economy indicators – environmental and resource productivity of the economy. Exploitation of natural resources, making use of labour and capital take part in production processes to make goods and to provide services. The side effects are the residue of pollutants and waste and thus environment is used as a site of their absorption and landfilling.

Economy greening progress may be monitored by the relations of generated production to environment service exploitation and the observation of decoupling trends, i.e. the tendencies of breaking the link between production and environmental services. The decoupling may be either relative or absolute. Relative decoupling occurs when the intensity of natural resources exploitation (pressure on environment) is growing, but this process is slower than the pace of the increase of the economy variable. The green economy objective is absolute decoupling, i.e. the state when economic output is on the increase and the environmental service use is either stable or in decline.

The growth of environmental and resource productivity is a necessary condition to green the economy. The efficient use of natural resources and waste should lead to the reduction of a negative impact on environment. This efficiency is measured by indices belonging to the group of **environmental and resource productivity of the economy**, which are presented in table 2.

Table 2. Indicators of environmental and resource productivity of the economy

Topic	Indicator group / name
Resources	Water productivity Consumption of water for needs of the national economy and population per capita Water productivity Water intensity of industry Water intensity of households Domestic material consumption Resource productivity (GDP/DMC) Domestic material consumption per capita
	Waste management Share of waste recovered in waste generated Municipal waste generated per capita Municipal waste collected separately in relation to total waste Recycling rate of municipal waste
	Nitrogen and phosphorus balances Gross nitrogen balance Gross phosphorus balance
Energy	Energy productivity Primary energy productivity Final energy intensity of the economy Renewable energy Share of renewable energy in gross final energy consumption
Greenhouse gas	Greenhouse gas emissions Greenhouse gas emissions Greenhouse gas emissions in non-ETS sectors

A further element that is observed to get an insight into green economy is the **environmental quality of life**, which is connected with regulatory, living space, and cultural services that environment provides for the people. This function also refers to the general condition of environment and is an example of the relations that exist between environment and society. The environmental quality is a key factor directly affecting general well-being of humans and other living creatures. The pollution level directly affects the quality of life of the society by the impact it has on its health. The environmental quality of life indicators refer to the human exposure to various pollutants and to health conditions resulting from them as well as to access of population to basic services in the scope of water and sewage management that simultaneously protect the environment. These objective measurement indices are complemented with the subjective ones that determine people's feeling about the quality of environment they inhabit. The suggested array of indicators of the population's environmental quality of life is compiled in table 3.

Table 3. Indicators of environmental quality of life

Topic	Indicator group / name
State of environment and human health	Gaseous air pollutants Average number of days with exceeded value of 120 μg/m³ by 8-hour ozone concentration Urban population exposure to air pollution by ozone (SOMO35) Premature deaths attributable to ozone exposure
	Particulate air pollutants Emissions of PM ₁₀ and PM _{2,5} per capita Urban population exposure to air pollution by PM ₁₀ Urban population exposure to air pollution by PM _{2,5} Premature deaths attributable to PM _{2,5} exposure Noise Percentage of population exposed to road traffic / railway / aviation / industrial noise in agglomerations over 100 thousand inhabitants Share of entities exceeding industrial noise limits in total number of inspected companies Percentage of households exposed to excessive noise
Environmental services	Access to drinking water Percentage of population using water supply network Percentage of population supplied with water meeting requirements Municipal sewage treatment Percentage of population using sewage network Wastewater treatment facilities per 1000 population not using sewage network Green areas Green areas in cities per capita Green areas in cities in % of total area of cities

Transition from a traditional economy to a green one demands from government and self-government sectors many various instruments within different **economic policies**. There are diverse tools within public government reach that force entities to certain actions that entail greening of economy, i.a. legal regulations, taxes or subsidies. They can support actions to increase efficiency (e.g. the use of environment elements) and to provide stimuli for the development of eco-friendly production and consumption patterns. Monitoring of such tools and actions as well as their results should become a focal point of the decision makers. Simultaneously, these instruments create new economic opportunities that lead to the development of certain kinds of activities generating job places and stimulating economic growth. Activities within various policies that aim at promoting green economy should both be based on a deep insight into factors affecting green growth and properly reflect relations between green economy components. To make it possible, decision taking representatives of different public authorities must have access to information on the results of implemented actions. A set of indicators of economic opportunities and policy responses is presented in table 4.

 Table 4.
 Indicators of economic opportunities and policy responses

Topic	Indicator group / name
Agriculture	Organic farms Organic agricultural area in % of total agricultural area Payments for farms carrying out organic farming
Environmental protection	Outlays on environmental protection Outlays on fixed assets for environmental protection in relation to GDP Share of outlays on fixed assets for environmental protection in investment outlays of national economy Household expenditures on environmental protection per capita
Taxes	Environmental taxes Share of environmental tax revenues in GDP Share of environmental tax revenues in total revenues from taxes and social contributions
Technology and innovation	Research and development (R&D) activity Research and development (R&D) intensity Research and development (R&D) expenditure per capita Inventions and patents Patent applications in environment-related technologies in % of total patent applications filed in the European Patent Office Patents in environment-related technologies granted in % of total patents granted by the European Patent Office Patent applications in environmental technologies in % of total patent applications filed in the Patent Office of the Republic of Poland Patents in environmental technologies granted in % of total patents granted by the Patent Office of the Republic of Poland Eco-innovation Eco-innovation Eco-innovation index Green technology Participants and laureates of GreenEvo Technology Accelerator
Management	Eco-Management and Audit Scheme (EMAS) Organisations with Eco-Management and Audit Scheme (EMAS) registration Sites of organisations with Eco-Management and Audit Scheme (EMAS) registration
Public procurement	Green public procurement Share of green public procurement in total public procurement Share of green public procurement value in total public procurement value

The given set of indicators to monitor green economy does not illustrate the analysed subject to the full and will be further assessed due to, among others, new data sources including the ones coming from public statistics surveys and introducing new instruments that are to stimulate economy greening process.

Bibliography

Legislative acts

Decyzja Parlamentu Europejskiego i Rady 2009/406/WE z dnia 23 kwietnia 2009 r. w sprawie wysiłków podjętych przez państwa członkowskie, zmierzających do zmniejszenia emisji gazów cieplarnianych w celu realizacji do roku 2020 zobowiązań Wspólnoty dotyczących redukcji emisji gazów cieplarnianych (Dz. Urz. UE L 140/136 z 5 czerwca 2009 r.).

Dyrektywa Rady 91/271/EWG z dnia 21 maja 1991 r. dotycząca oczyszczania ścieków komunalnych (Dz. Urz. WE L 135 z 30 maja1991 r.).

Dyrektywa Parlamentu Europejskiego i Rady (UE) 2018/2001 z dnia 11 grudnia 2018 r. w sprawie promowania stosowania energii ze źródeł odnawialnych (wersja przekształcona) (Dz. Urz. UE L 328/82 z 21 grudnia 2018 r.).

Dyrektywa 2000/60/WE Parlamentu Europejskiego i Rady z dnia 23 października 2000 r. ustanawiająca ramy wspólnotowego działania w dziedzinie polityki wodnej (Dz. Urz. WE L 327/1 z 22 grudnia 2000 r.).

Dyrektywa 2002/49/WE Parlamentu Europejskiego i Rady z dnia 25 czerwca 2002 r. odnosząca się do oceny i zarządzania poziomem hałasu w środowisku (Dz. Urz. WE L 189/12 z 18 lipca 2002 r.).

Dyrektywa Parlamentu Europejskiego i Rady 2008/50/WE z dnia 21 maja 2008 r. w sprawie jakości powietrza i czystszego powietrza dla Europy (Dz. Urz. UE L 152 z 11 czerwca 2008 r.).

Dyrektywa Parlamentu Europejskiego i Rady 2009/28/WE z dnia 23 kwietnia 2009 r. w sprawie promowania stosowania energii ze źródeł odnawialnych, zmieniająca i w następstwie uchylająca dyrektywy 2001/77/WE oraz 2003/30/WE (Dz. Urz. UE L 140/16 z 5 czerwca 2009 r.).

Dyrektywa Parlamentu Europejskiego i Rady 2009/29/WE z dnia 23 kwietnia 2009 r. zmieniająca dyrektywę 2003/87/WE w celu usprawnienia i rozszerzenia wspólnotowego systemu handlu uprawnieniami do emisji gazów cieplarnianych (tzw. dyrektywa EU ETS) (Dz. Urz. UE L 140/63 z 5 czerwca 2009 r.).

Dyrektywa Parlamentu Europejskiego i Rady 2012/27/UE z dnia 25 października 2012 r. w sprawie efektywności energetycznej, zmiany dyrektyw 2009/125/WE i 2010/30/UE oraz uchylenia dyrektyw 2004/8/WE i 2006/32/WE (Dz. Urz. UE L315/1 z 14 listopada 2012 r.).

Konwencja o różnorodności biologicznej, sporządzona w Rio de Janeiro z dnia 5 czerwca 1992 r. (Dz. U. z 2002 r. nr 184 poz. 1532).

Protokół z Kioto do Ramowej Konwencji Narodów Zjednoczonych w sprawie Zmian Klimatu (Dz. U. z 2005 r. nr 203 poz. 1684).

Rozporządzenie Ministra Rozwoju Regionalnego i Budownictwa z dnia 29 marca 2001 r. w sprawie ewidencji gruntów i budynków (Dz. U. z 2019 r poz. 393).

Rozporządzenie Ministra Środowiska z dnia 14 czerwca 2007 r. w sprawie dopuszczalnych poziomów hałasu w środowisku (Dz. U. z 2014 r. poz. 112).

Rozporządzenie Ministra Środowiska z dnia 14 sierpnia 2012 r. w sprawie krajowego celu redukcji narażenia (Dz. U. poz. 1030).

Rozporządzenie Ministra Środowiska z dnia 24 sierpnia 2012 r. w sprawie poziomów niektórych substancji w powietrzu (Dz. U. poz. 1031).

Rozporządzenie Ministra Środowiska z dnia 8 października 2019 r. zmieniające rozporządzenie w sprawie poziomów niektórych substancji w powietrzu (Dz. U. poz. 1931).

Rozporządzenie Ministra Środowiska z dnia 13 września 2012 r. w sprawie sposobu obliczania wskaźników średniego narażenia oraz sposobu oceny dotrzymania pułapu stężenia ekspozycji (Dz. U. poz. 1029).

Rozporządzenie Ministra Środowiska z dnia 9 grudnia 2014 r. w sprawie katalogu odpadów (Dz. U. poz. 1923).

Rozporządzenie Ministra Zdrowia z dnia 7 grudnia 2017 r. w sprawie jakości wody przeznaczonej do spożycia przez ludzi (Dz. U. poz. 2294).

Rozporządzenie Parlamentu Europejskiego i Rady (WE) nr 1177/2003 z dnia 16 czerwca 2003 r. (z modyfikacjami zawartymi w rozporządzeniu nr 1553/2005) dotyczące statystyki Wspólnoty w sprawie dochodów i warunków życia (EU-SILC) (Dz. Urz. UE L 165 z 3 lipca 2003 r., z późn. zm.) oraz korespondującymi z tym aktem prawnym rozporządzeniami Komisji Europejskiej.

Rozporządzenie Parlamentu Europejskiego i Rady (WE) nr 1099/2008 z dnia 22 października 2008 r. w sprawie statystyki energii (Dz. Urz. UE L304/1 z 14 listopada 2011 r.).

Rozporządzenie Parlamentu Europejskiego i Rady (WE) nr 1221 /2009 z dnia 25 listopada 2009 r. w sprawie dobrowolnego udziału organizacji w systemie ekozarządzania i audytu we Wspólnocie (EMAS) (Dz. Urz. UE L 342 z 22 grudnia 2009 r.).

Rozporządzenie Parlamentu Europejskiego i Rady (UE) nr 538/2014 z dnia 16 kwietnia 2014 r. w sprawie europejskich rachunków ekonomicznych środowiska (Dz. Urz. UE L 538/2014 z 16 czerwca 2014 r.).

Rozporządzenie Rady (WE) nr 834/2007 z dnia 28 czerwca 2007 r. w sprawie produkcji ekologicznej i znakowania produktów ekologicznych i uchylające rozporządzenie (EWG) nr 2092/91 (Dz. Urz. UE L 189/1 z 20 lipca 2007 r., z późn. zm.).

Ustawa z dnia 28 września 1991 r. o lasach (Dz. U. z 2018 r. poz. 2129).

Ustawa z dnia 3 lutego 1995 r. o ochronie gruntów rolnych i leśnych (Dz. U. z 2017 r. poz. 1161).

Ustawa z dnia 27 kwietnia 2001 r. – Prawo ochrony środowiska (Dz. U. z 2019 r. poz. 1396).

Ustawa z dnia 7 czerwca 2001 r. o zbiorowym zaopatrzeniu w wodę i zbiorowym odprowadzaniu ścieków (Dz. U. z 2019 r. poz. 1437, z późn. zm.).

Ustawa z dnia 29 stycznia 2004 r. – Prawo zamówień publicznych (Dz. U. z 2019 r. poz. 1843, z późn. zm.).

Ustawa z dnia 16 kwietnia 2004 r. o ochronie przyrody (Dz. U. z 2018 r. poz. 1614).

Ustawa z dnia 25 czerwca 2009 r. o rolnictwie ekologicznym (Dz. U. z 2019 r. poz. 1353).

Ustawa z dnia 17 lipca 2009 r. o systemie zarządzania emisjami gazów cieplarnianych i innych substancji (Dz. U. poz. 1070, z późn. zm.).

Ustawa z dnia 15 kwietnia 2011 r. o efektywności energetycznej (Dz. U. poz. 551, z późn. zm.).

Ustawa z dnia 15 lipca 2011 r. o krajowym systemie ekozarządzania i audytu (EMAS) (Dz. U. poz. 1060).

Ustawa z dnia 14 grudnia 2012 r. o odpadach (Dz. U. z 2019 r. poz. 701, z późn. zm.).

Strategic documents

Europa 2020 – Strategia na rzecz inteligentnego i zrównoważonego rozwoju sprzyjającego włączeniu społecznemu.

Koncepcja Przestrzennego Zagospodarowania Kraju 2030.

Krajowy program oczyszczania ścieków komunalnych (KPOŚK) z 16 grudnia 2003 r.

Polityka ekologiczna państwa 2030 – strategia rozwoju w obszarze środowiska i gospodarki wodnej (2019), Ministerstwo Środowiska, Warszawa.

Strategia Bezpieczeństwo Energetyczne i Środowisko – perspektywa do 2020 r. (2014), Ministerstwo Gospodarki, Ministerstwo Środowiska, Warszawa.

Strategia innowacyjności i efektywności gospodarki "Dynamiczna Polska 2020" (2013), Ministerstwo Gospodarki, Warszawa.

Strategia na rzecz Odpowiedzialnego Rozwoju do roku 2020 (z perspektywą do 2030 r.) (2017), Ministerstwo Rozwoju, Warszawa.

Reports

Air Quality in Europe. 2020 Report (2020), Europejska Agencja Środowiska, Kopenhaga.

Analiza stanu zanieczyszczenia powietrza pyłem PM₁₀ i PM_{2,5} z uwzględnieniem składu chemicznego pyłu oraz wpływu źródeł naturalnych – raport syntetyczny (2011), Inspekcja Ochrony Środowiska, Zabrze.

Bilans gospodarki surowcami mineralnymi Polski i świata 2013 (2015), Państwowy Instytut Geologiczny – Państwowy Instytut Badawczy, Warszawa.

Bilans perspektywicznych zasobów kopalin Polski wg stanu na 31 XII 2009 r. (2011), Państwowy Instytut Geologiczny – Państwowy Instytut Badawczy, Warszawa.

Bilans zasobów złóż kopalin w Polsce (2016–2019), Państwowy Instytut Geologiczny – Państwowy Instytut Badawczy, Warszawa.

Environmental Indicator Report 2012 Ecosystem Resilience and Resource Efficiency in a Green Economy in Europe (2012), Europejska Agencja Środowiska, Kopenhaga.

Georaport – surowce mineralne w Polsce – węgiel kamienny (2013), Państwowa Służba Geologiczna, raport nr 1.

Green Growth in the Czech Republic. Selected Indicators 2013 (2014), Czech Statistical Office, Praga.

Green Growth in the Netherlands (2015), Statistics Netherlands, Haga.

Korea's Green Growth based on OECD Green Growth Indicators (2012), Statistics Korea.

Krajowy Raport Inwentaryzacyjny 2017. Inwentaryzacja gazów cieplarnianych w Polsce dla lat 1988–2015 (2017), Krajowy Ośrodek Bilansowania i Zarządzania Emisjami, Warszawa.

Krajowy bilans emisji SO₂, NO_x, CO, NH₃, NMLZO, pyłów, metali ciężkich i TZO za lata 1990–2018. Raport syntetyczny (2020), Krajowy Ośrodek Bilansowania i Zarządzania Emisjami, Instytut Ochrony Środowiska – Państwowy Instytut Badawczy, Warszawa

Ocena jakości powietrza w strefach w Polsce za rok 2019 (2020), Inspekcja Ochrony Środowiska, Warszawa.

OECD (2011), Towards Green Growth: Monitoring Progress: OECD Indicators.

OECD (2013), Monitoring Progress towards Green Growth: OECD Indicators 2013 Report, Paryż.

OECD (2014), "Environmental quality of life" in Green Growth Indicators 2014, OECD Publishing http://dx.doi.org/10.1787/9789264202030-9-en.

OECD (2014), "The environmental and resource productivity of the economy" in Green Growth Indicators 2014, OECD Publishing http://dx.doi.org/10.1787/9789264202030-7-en.

OECD (2014), "The natural asset base" in Green Growth Indicators 2014, OECD Publishing, http://dx.doi.org/10.1787/9789264202030-8-en.

Raport o stanie akustycznym środowiska na podstawie wyników realizacji map akustycznych (2014), Główny Inspektorat Ochrony Środowiska, Instytut Ochrony Środowiska – Państwowy Instytut Badawczy, Warszawa.

Raport o stanie akustycznym środowiska w Polsce na podstawie wyników realizacji map akustycznych (2020), Główny Inspektorat Ochrony Środowiska, Instytut Ochrony Środowiska – Państwowy Instytut Badawczy, Warszawa.

Raport o zanieczyszczeniu środowiska hałasem według stanu na 31 grudnia 2018 r. Ocena roczna (2020), Główny Inspektorat Ochrony Środowiska, Instytut Ochrony Środowiska – Państwowy Instytut Badawczy, Warszawa.

Raport roczny 2015 (2016), Urząd Patentowy Rzeczypospolitej Polskiej, Warszawa.

Stan środowiska w Polsce. Raport (2014, 2018), Główny Inspektorat Ochrony Środowiska, Biblioteka Monitoringu Środowiska, Warszawa.

Stan środowiska w Polsce. Sygnały (2011, 2017), Główny Inspektorat Ochrony Środowiska, Biblioteka Monitoringu Środowiska, Warszawa.

Środowisko Europy 2015 – Stan i Prognozy. Synteza (2015), Europejska Agencja Środowiska, Kopenhaga.

Wielkoobszarowa inwentaryzacja stanu lasu. Wyniki III cyklu (lata 2015–2019) (2020), Biuro Urządzania Lasu i Geodezji Leśnej, Sękocin Stary.

Wskaźnik średniego narażenia na pył PM_{2,5} jako element oceny zanieczyszczenia powietrza – podsumowanie badań prowadzonych w ramach Państwowego Monitoringu Środowiska w latach 2010–2013 (2014), Główny Inspektorat Ochrony Środowiska, Warszawa.

Zanieczyszczenie powietrza w Polsce w 2009 roku na tle wielolecia (2011), Inspekcja Ochrony Środowiska, Biblioteka Monitoringu Środowiska, Warszawa.

Scientific publications

Analiza wyzwań, potrzeb i potencjałów – podejście tematyczne i terytorialne (2013), Warszawa.

Barczak A., Kowalewska E. (2014), Źródła finansowania zadań z zakresu ochrony środowiska w Polsce – przegląd stosowanych rozwiązań, (w:) Borodo A. (red.) "Prawo Budżetowe Państwa i Samorządu", nr 1(2).

Dobrzańska B., Dobrzański G., Kiełczewski D. (2009), Ochrona środowiska przyrodniczego, Wydawnictwo Naukowe PWN, Warszawa.

Domańska W., Górska A., Wojciechowska M. (2014), Rachunki podatków związanych ze środowiskiem, (w:) "Wiadomości Statystyczne", nr 6, GUS, Polskie Towarzystwo Statystyczne, Warszawa.

Domańska W., Jabłonowski G (2012), Europejskie Rachunki Ekonomiczne Środowiska, (w:) "Wiadomości Statystyczne", nr 7, GUS, Polskie Towarzystwo Statystyczne, Warszawa.

Eko-innowacje oraz technologie środowiskowe (2009) – konferencja inaugurująca projekt POWER w Małopolsce, Kraków.

Foltynowicz Z. (2009), Ekoinnowacje szansą na rozwój, (w:) "Ecomanager", nr 1, Poznań.

Foltynowicz Z. (2014), Innowacje dla środowiska, (w:) "Przegląd Komunalny", dodatek promocyjny Jesteś kreatorem? Zostań ekoinnowatorem!, nr 7, Poznań.

Frérot A. (2011), Unia Europejska a wyzwanie stworzenia zielonej gospodarki, (w:) Fundacja Roberta Schumana / Kwestie Europejskie Nr 206.

Fura B. (2010), Nakłady inwestycyjne w ochronie środowiska a realizacja założeń rozwoju zrównoważonego, (w:) "Nierówności społeczne a wzrost gospodarczy, z. nr 17, Uniwersytet Rzeszowski, Rzeszów.

Gałuszka A., Migaszewski Z. (2009), Problemy zrównoważonego użytkowania surowców mineralnych, (w:) "Problemy Ekorozwoju", t 4, nr 1, Politechnika Lubelska, Lublin.

Gosek S. (1997), Wapnowanie i nawożenie mineralne a żyzność gleby i plony roślin, (w:) Biuletyn Informacyjny IUNG, nr 5, Puławy.

Karlikowska B. (2013), Ekoinnowacyjność, (w:) "Kwartalnik Naukowy", nr 3(37), Akademia Finansów i Biznesu Vistula w Warszawie, Warszawa.

Kopiński J, Tujaka A. (2009), Bilans azotu i fosforu w rolnictwie polskim, Woda–Środowisko–Obszary Wiejskie, t. 9, z. 4(28), Instytut Melioracji i Użytków Zielonych, Falenty.

Małecki P. P. (2012), System opłat i podatków ekologicznych w Polsce na tle rozwiązań w krajach OECD, Wydawnictwo Uniwersytetu Ekonomicznego w Krakowie, Kraków.

Matuszak-Flejszman A. (2011), Wdrażanie systemu ekozarządzania i audytu EMAS w administracji rządowej, Warszawa.

Paszcza H. (2012), Ocena stanu zasobów węgla kamiennego w Polsce z uwzględnieniem parametrów jakościowych i warunków zalegania w aspekcie zapewnienia bezpieczeństwa energetycznego kraju, (w:) Zeszyty Naukowe Instytutu Gospodarki Surowcami Mineralnymi i Energii Polskiej Akademii Nauk, nr 83, Kraków.

Pyrka M., Lizak S. (2009), Zjawisko ucieczki emisji w sektorach energochłonnych w Polsce w kontekście zmian wprowadzanych w systemie EU ETS na lata 2013–2020, Instytut Ochrony Środowiska, KASHUE, Warszawa.

Ryszawska B. (2013), Zielona gospodarka teoretyczne podstawy koncepcji i pomiar jej wdrażania w Unii Europejskiej, Uniwersytet Ekonomiczny we Wrocławiu, Wrocław.

Smol E. (2010), Metodyka wraz z przykładowym obliczeniem "limitu" krajowej emisji gazów cieplarnianych dla Polski na lata 2013–2020 (dyrektywa EU ETS i decyzja non-ETS), KASHUE – KOBIZE, Warszawa.

Szpor A., Śniegocki A. (2012), Ekoinnowacje w Polsce. Obecny stan, bariery rozwoju, możliwości wsparcia, Raport IBS, Warszawa.

Szwed D. (2011), Zielony Nowy Ład na świecie, w Europie, w Polsce?, (w:) Szwed D. (red.) Zielony Nowy Ład w Polsce, Green European Foundation, Zielony Instytut Fundacja im. Heinricha Bölla.

Śleszyński J. (2014), Podatki środowiskowe i podział na grupy podatków według metodyki Eurostatu, (w:) "Optimum Studia Ekonomiczne", nr 3(69), Uniwersytet w Białymstoku, Białystok.

Statistical publications

Charakterystyka gospodarstw rolnych. Powszechny Spis Rolny 2010 (2012), GUS, Warszawa.

Działalność badawcza i rozwojowa w Polsce w 2019 r. (2020), US Szczecin, Szczecin.

Działalność innowacyjna przedsiębiorstw w latach 2013–2015 (2016), GUS, US Szczecin, Warszawa.

Efektywność wykorzystania energii w latach 2005–2015 (2017), GUS, Warszawa.

Energia ze źródeł odnawialnych w 2015 r. (2016), GUS, Warszawa.

Environmental Taxes – A Statistical Guide (2013), Eurostat, Luxemburg.

Gospodarka paliwowo-energetyczna (2016, 2018, 2019), GUS, Warszawa.

Infrastruktura komunalna (2016), GUS, Warszawa.

Leśnictwo (2016), GUS, Warszawa.

Nauka i technika w 2015 r. (2016), GUS, Warszawa.

Ochrona środowiska (2016, 2018, 2000), GUS, Warszawa.

Powszechny Spis Rolny 2010 – Zrównoważenie polskiego rolnictwa (2013), GUS, Warszawa.

Produkt krajowy brutto – Rachunki regionalne w 2014 r. (2016), GUS, US Katowice, Katowice.

Rocznik Statystyczny Rzeczypospolitej Polskiej (2016, 2018), GUS, Warszawa.

Wskaźniki zrównoważonego rozwoju Polski 2015 (2015), GUS, US Katowice, Katowice.

Other

Ulrich Schmoch (2008), Concept of a Technology Classification for Country Comparisons. Final Report to the World Intellectual Property Organisation (WIPO).

Efektywność energetyczna, http://www.me.gov.pl/Energetyka/Efektywnosc+energetyczna [27.06.2017].

Ekspertyza pn. Poprawa efektywności energetycznej transportu w Polsce analiza dostępnych środków i propozycje działań, https://www.mir.gov.pl/Transport/Zrownowazony_transport/Dokumenty_i_opracowania/Documents/Poprawa_efektywności_energetycznej_transportu_w_Polsce.pdf [19.06.2017].

The Evolution of Green Growth Policy: An Unwelcome Intrusion on Global Environmental Governance? (2013), (w:) Journal of East Asian Economic Integration t. 17, nr 2.

Komunikat Komisji do Parlamentu Europejskiego, Rady, Europejskiego Komitetu Ekonomiczno-Społecznego oraz Komitetu Regionów. Zamówienia publiczne na rzecz poprawy stanu środowiska (2008), Komisja Wspólnot Europejskich, Bruksela.

Lista roślin zagrożonych w Polsce (1992), Instytut Botaniki im. W. Szafera Polskiej Akademii Nauk, Kraków.

Measuring Progress towards an Inclusive Green Economy (2012), Program Ochrony Środowiska Narodów Zjednoczonych (UNEP), Nairobi.

Mechanizmy rynkowe i pozarynkowe po 2012 r. (2012), Krajowy Ośrodek Bilansowania i Zarządzania Emisjami (KOBiZE), Warszawa.

Monitoring ptaków w tym monitoring obszarów specjalnej ochrony ptaków Natura 2000 Faza IV, lata 2012–2015 (2014), Główny Inspektorat Ochrony Środowiska, Ogólnopolskie Towarzystwo Ochrony Ptaków. Marki.

Moving towards a Common Approach on Green Growth Indicators (2013), Green Growth Knowledge Platform Scoping Paper.

Ocena możliwości obliczania wskaźników przepływów materiałowych w oparciu o istniejące dane krajowe wg wypracowanych metodyk Europejskiej Agencji Środowiska (EEA) i Organizacji Współpracy Gospodarczej i Rozwoju (OECD) (2006), Instytut na Rzecz Ekorozwoju, Warszawa.

Polityka Leśna Państwa (1997), Warszawa.

Polska Czerwona Księga Roślin – paprotniki i rośliny kwiatowe (2014), Instytut Ochrony Przyrody PAN, Kraków.

Polska Czerwona Księga Zwierząt (2001), Państwowe Wydawnictwo Rolnicze i Leśne, Warszawa.

Poradnik Przydomowe oczyszczalnie ścieków (2008), Podlaska Stacja Przyrodnicza Narew, Białystok.

Ramowa Konwencja Narodów Zjednoczonych w sprawie Zmian Klimatu (UNFCCC) (1992), Rio de Janeiro.

Test of the OECD Set of Green Growth Indicators in Germany, Federal Statistical Office of Germany (2012), Wiesbaden.

Towards a Green Economy. Pathways to Sustainable Development and Poverty Eradication (2011), Program Ochrony Środowiska Narodów Zjednoczonych (UNEP), Nairobi.

Zaopatrzenie kraju w surowce energetyczne i energię w perspektywie długookresowej, http://www.so-lis.pl/index.php/content/.../3067/.../zaopatrzenie_w_surowce_energetyczne.pdf [19.06.2017].

Zielone zamówienia publiczne. Praktyczny poradnik dla beneficjentów funduszy europejskich (2008), Warszawa.

Internet pages

Baza danych Banku Światowego, https://databank.worldbank.org/home.aspx [5.11.2020].

Baza danych Europejskiej Agencji Środowiska, https://www.eea.europa.eu/data-and-maps/data#c0 =5&c11=&c5=all&b_start=0 [14.11.2020].

Baza danych Eurostatu, https://ec.europa.eu/eurostat/data/database [28.10.2020].

Bank Danych Lokalnych, https://bdl.stat.gov.pl/BDL/dane/podgrup/temat [27.11.2020].

Baza danych OECD, https://stats.oecd.org/ [25.10.2020].

Baza danych Organizacji Narodów Zjednoczonych – Global SDG Indicators Database, https://unstats.un.org/sdgs/indicators/database/ [30.09.2020].

Baza danych Organizacji Narodów Zjednoczonych do spraw Wyżywienia i Rolnictwa, http://www.fao.org/faostat/en/#home [30.09.2020].

Eco-Innovation, http://ec.europa.eu/environment/ecoap/ [19.10.2020].

EMAS – Europejski System Ekozarządzania i Audytu, http://www.gdos.gov.pl [2.06.2017].

EMAS, https://ec.europa.eu/environment/emas/emas_registrations/statistics_graphs_en.htm [7.11.2020].

GreenEvo – Akcelerator Zielonych Technologii, https://www.gov.pl/web/klimat/greenevo [7.11.2020].

Handel emisjami CO₂, http://www.handel-emisjami-co2.cire.pl/ [14.06.2017].

KOBiZE, https://www.kobize.pl/pl/article/non-ets/id/337/informacja-ogolna [1.12.2020].

Studia i raporty IUNG-PIB, http://www.iung.pulawy.pl/images/wyd/pib/zesz5.pdf [19.06.2017].

Wskaźniki energochłonności w przemyśle, http://zif.wzr.pl/pim/2012_1_2_49.pdf [20.06.2017].

Zielone zamówienia publiczne, https://www.uzp.gov.pl [19.10.2020].